

SKIL[®]

EVERYTHING YOU NEED



Trade catalogue 2017-2018



EVERYTHING YOU NEED



- The world's first multi tool with circular saw attachment
- Work detailed if you want it, fast when you need it

New 2018


Hammer drill 6225



NEW



- Corded hammer drill: non-stop power, no battery, no charging time
- 6 metre cord for optimal working comfort
- Environment-friendlier than comparable products with battery
- Hammer-drill function for drilling in masonry
- 19-position VariTorque for precise screwdriving plus full lock-up position for drilling
- 2 mechanical speeds: high speed for drilling and high power for screwdriving
- Keyless chuck with automatic spindle lock for fast and easy accessory changing
- Variable speed for gentle start and full control at all times
- Forward/reverse-function for driving or removing screws
- Softgrip and ergonomic handle size for optimum comfort and control



Specifications

- Input power: 0,9 A
- Clutch settings: 19 + 1 + 1
- Chuck type: Single-sleeve keyless
- Chuck capacity: 10 mm
- Variable speed switch:
- Drilling capacity in steel: 8 mm
- Drilling capacity in masonry: 13 mm
- Drilling capacity in wood: 10 mm
- No-load speed: 0 - 400 / 1600 r.p.m.
- Max. impact rate: 0 - 5200 / 20800 /min
- Capacity screws: 6 mm
- Cord length: 6 m
- Weight: 1,4 kg
- Voltage/frequency: 220-240V/50-60 Hz

Packaging contains

- Skil 6225 hammer drill
- Instruction manual

Order Information

Order No AOC	F015 6225 AA
Order No UK/IRL	F015 6225 AB
Ean Code AOC	8719643000156
Ean Code UK/IRL	8719643000163

Multi tool 1485



NEW



- The world's first multi tool with circular saw attachment
- Work detailed if you want it, fast when you need it
- All the detailed and renovation work functions you expect from a multi tool
- Fast, straight sawing of long cuts when circular saw is attached
- Variable speed for full control in a wide variety of tasks
- Suitable for cutting laminated floor panels and parquet blocks
- The universal accessory system enables a wide range of 'Starlock' basic and 'OIS' accessories to be used
- Spindle lock for easy circular saw blade switching
- Dust adapter and flexible hose for cleaner sanding and sawing with the circular saw attachment
- The compact, lightweight design with softgrip facilitates one-hand operation for extra control
- Optimal working freedom thanks to the three-metre cord
- Integrated key storage



Specifications

- Input: 300 W
- Oscillating angle left/right: 1,5 °
- Voltage/frequency: 220-240V/50-60 Hz
- Sawing capacity at 90°: 15 mm
- Arbor Ø: 10 mm
- Max. Ø saw blade: 85 mm
- Min. Ø saw blade: 85 mm

Packaging contains

- Skil 1485 multi tool
- Circular saw attachment
- TCT circular saw blade (85 mm)
- Segment saw blade
- Plunge-cutting saw blade wood (20 mm)
- Sanding baseplate
- Sanding sheets (3 x grit 80)
- Sanding sheets (3 x grit 120)
- Hose for connecting vacuum cleaner
- Dust adapter
- Hexagon key
- Instruction manual

Order Information

Order No AOC	F015 1485 AA
Order No UK/IRL	F015 1485 AB
Ean Code AOC	8719643000132
Ean Code UK/IRL	8719643000170

New 2018

Circular saw 1053

NEW



- Powerful 2000W motor for precise and rapid cutting
- Impressive 85 mm sawing depth at 90° and 56 mm at 45°
- Unique multi-grip design for optimal handling in 90° and 45° angles
- Dust-sealed ball bearings for long lifetime and helical gears for strength and low noise



Specifications

- Sawing capacity at 90°: 85 mm
- Sawing capacity at 45°: 56 mm
- Input: 2.000 W
- No-load speed: 5.000 r.p.m.
- Saw blade Ø: 235 mm
- Arbor Ø: 30 mm
- Weight: 5,9 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 1053 circular saw
- Carbide-tipped saw blade (24 teeth, Ø 235 mm)
- Parallel guide
- Blade wrench
- Instruction manual

Order Information


Order No AOC	F015 1053 AA
Order No UK/IRL	F015 1053 AB
Ean Code AOC	8710364077090
Ean Code UK/IRL	8710364077625

Reciprocating saw 4910

NEW



- Compact and efficient 710W reciprocating saw
- Ideal for a wide variety of cutting applications such as demolition cutting, pruning and tree trimming
- Variable speed for optimal cutting results in various materials
- Quick and easy blade change with toolless "CLIC" system
- Softgrip provides optimal grip



Specifications

- Input: 710 W
- Stroke length: 20 mm
- Blade speed: 0-2800 s.p.m.
- Sawing capacity in wood: 150 mm
- Sawing capacity in aluminium: 15 mm
- Sawing capacity in metal: 10 mm
- Weight: 2,1 kg
- Voltage/frequency: 220-240V/50-60 Hz

Packaging contains

- Skil 4910 reciprocating saw
- Saw blade for wood
- Instruction manual

Order Information

Order No AOC	F015 4910 AA
Order No UK/IRL	F015 4910 AB
Ean Code AOC	8719643000095
Ean Code UK/IRL	8719643000101

Electric lawn raker 0701

NEW



URBAN SERIES

- Compact electric lawn raker for effective removal of moss
- Fast result: cover 50 m² of lawn in only 25 minutes
- Extremely manoeuvrable raker that even reaches narrow spots
- 'Easy Storage' design saves valuable space (storage hook included)
- Easy to carry, thanks to the lightweight design
- Adjustable height for comfortable working



Specifications

- Input: 500 W
- Working width: 15 cm
- No-load raking speed: 3000 rpm
- Height adjustment: 80-110 cm
- Weight: 2,9 kg
- Voltage/frequency: 220-240V/50-60 Hz

Packaging contains

- Skil 0701 lawn raker
- 'Easy Storage' hook
- Wrench
- Instruction manual

Order Information

Order No AOC	F015 0701 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364078790
Ean Code UK/IRL	Not available


Electric weed sweeper 0700

NEW

URBAN SERIES



- Easy work: no painful knees or back anymore
- Environment-friendly solution: no pesticides
- Skil-exclusive 'Easy Storage' handle design for convenient hanging of the tool on the Skil storage rail supplied
- Powerful motor for effortless weed removal
- Guide wheel for optimal stability
- High speed: high removal rate
- Brush indicator located on top of the cover
- Spindle-lock for easy brush change
- Telescopic height adjustment for comfortable working



Specifications

- Input: 500 W
- Brush diameter: 100 mm
- No-load brush speed: 3000 rpm
- Height adjustment: 80-110 cm
- Weight: 2,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0700 electric weed sweeper
- Steel brush
- 'Easy Storage' hook
- Wrench
- Instruction manual

Order Information

Order No AOC	F015 0700 AG
Order No UK/IRL	Not available
Ean Code AOC	8710364079766
Ean Code UK/IRL	Not available

Accessories for electric weed sweepers

NEW	Model number	Description	Specifications
	2610Z08639	Steel brushes for electric weed sweeper	For model: 0700 Packed per: 2



Skil power tools

It all started in 1924 when Edmond Michel, one of the two founding fathers of Skil, invented the first electric handsaw. This saw, which would later become legendary as the ‘Skilsaw’, marked the start of the development of a successful range of power tools. Skil has built an outstanding reputation in the EMEA region ever since, with more than 130 million tools sold, numerous awards in independent (consumer) tests and many inventions and patents.

As part of the Chervon Group, Skil has access to tried-and-tested research and development facilities. Chervon is a top 10 player in the global power tool industry, with considerable knowledge and expertise. That expertise in research, design, engineering and manufacturing is leveraged to produce tools that get the job done better, easier and more efficiently. With over 300 committed engineers and about 2,000 patents worldwide, Chervon continuously invests in research and development to create innovative products and solutions with superior performance.

All in all, this is a great fit with Skil’s focus on developing smart products that are affordable and easy to use. Chervon’s resources, combined with the long heritage of the Skil brand, ensures that Skil power tools provide users with the relevant features and the performance they need to get the job done reliably and affordably every time. Power tools should make the job easier and that’s exactly what Skil tools do.

Skil – Everything you need

Content

Power tools	
Drilling and screwdriving tools	
Cordless screwdrivers	6
Cordless drills	7 - 11
Drill drivers	11 - 12
Hammer drills	13 - 16
SDS drills	16 - 18
Sanders	
Multi sanders	18 - 20
Orbital sanders	20 - 22
Detail sanders	23
Random orbital sanders	24 - 25
Belt sanders	26 - 27
Power saws	
Jigsaws	26 - 30
Circular saws	30 - 32
Saw guides	33
Multi saws	33 - 34
Reciprocating saws	34 - 35
Mitre saws	36
Multifunction tools	36 - 38
Angle grinders	39 - 41
Heat guns	41 - 42
Electric planers	43 - 44
Wood routers	44
Electric staple guns	45
Paddle mixers	46 - 47
Work lights	48
Blowers	49
Garden tools	
Lawn mowers	51 - 52
Strimmers	53 - 54
Hedge trimmers	54 - 55
Grass shears	55 - 56
Pressure washers	56
Chainsaws	57
Leaf blowers	57 - 58
Garden shredders	58
Electric weed sweepers	59
Pruning saws	59
Submersible pumps	60
Laser / Measuring tools	
Angle measurement	62
Distance measurement	62 - 63
Laser leveling	63 - 66
Detection	66
Accessories	68 - 75



DIY tools

From the invention of the circular saw in 1924 right up to the present day, Skil is all about convenience, innovation and quality. These principles are the main ingredients of outstanding tools that excel in design, technology and ease of use.

Skil's established range of power tools for DIY jobs is designed to offer consumers helpful and attractively priced tools for a wide range of jobs in and around the home. Innovative solutions, such as pressure control for smooth sanding results, function indicators that clearly show the active operating mode and the 'Hybrid Power' cordless drill that allows users to work longer, ensure more convenience while getting the job done.

Skil – Everything you need

Drilling and screwdriving

Different users have different needs for drilling and screwdriving jobs. Acknowledging this, Skil offers several solutions for price-oriented and convenience-oriented users.

Cordless tools with NiMH battery technology are part of the Skil product range for price-oriented users. These users are looking for cordless freedom at the right price, as they only use their power tools every once in a while.

Tools with Lithium-Ion battery technology are a suitable solution for the more convenience-oriented users. They ask for reliable, easy to handle and powerful tools that offer excellent value for money. Lithium-Ion tools are the best fit for these users; no memory effect and no self-discharge means that the tools are always ready for use.

On the other hand, Skil 'Energy Line' drill drivers offer non-stop power for screwdriving and drilling in wood and metal. These tools are the ideal solution for price-oriented users who don't want to rely on batteries they have to remember to recharge. They prefer drill drivers that are immediately ready for use. Plus, freedom of movement is ensured with an extra-long 6 or 10 metre power cord.

Finally, Skil 'Hybrid Power' combines the best of both worlds. This revolutionary innovation allows users to work longer by using the tool cordless and with the long 6-metre cord connected. An excellent solution for convenience-oriented users who are looking for cordless freedom without the frustration of low-battery states.

Skil – Everything you need




Cordless screwdriver 2636

NEW



- Lithium-Ion cordless screwdriver with micro USB charger for a wide range of charging options
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- Battery-level indicator displays a warning when the battery level is low
- Automatic spindle lock to manually tighten or loosen screws and bolts
- Forward / reverse indicator enables you to see at a glance which direction you are driving
- Spotlight for better sight of your workpiece and more comfortable working in poorly lit areas
- Two extra screwdriver bits within reach thanks to bit storage on the tool
- Electronics protect against overload, overheat and deep discharge
- Soft grip and ergonomic handle size for optimum comfort and ergonomics
- This cordless screwdriver received an iF DESIGN AWARD 2017 due to its outstanding design quality



Specifications

- Voltage: 3,6 V
- Voltage: 4 'V Max'
- Battery capacity: 1,5 Ah
- No-load speed: 200 r.p.m.
- Max. torque hard joint: 7 Nm
- Hex drive: 6,35 mm
- Capacity screws: 5 mm
- Charging time: 3 Hrs
- Spotlight:
- Weight: 0,4 kg
- Voltage/frequency (charger): 100-240V/50-60Hz

Packaging contains

- Skil 2636 cordless screwdriver
- Micro USB charger
- Two screwdriver bits (PH2, S5)
- Magnetic bitholder
- Instruction manual

Order Information

Order No AOC	F015 2636 AA
Order No UK/IRL	F015 2636 AB
Ean Code AOC	8710364076185
Ean Code UK/IRL	8710364076192

Cordless drill 2430

NEW



- Powerful '16V Max' (14,4V) cordless drill for all your DIY jobs
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- 17-position VariTorque for precise screw driving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- Compact and light-weight design for convenient working
- Spotlight for better sight of your work piece and more comfortable working in poorly lit areas
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



Specifications

- Voltage: 14,4 V
- Voltage: 16 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- Number of battery packs: 1
- No-load speed: 0-700 r.p.m.
- Max. torque hard joint: 33 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 17 + 1
- Spotlight:
- Drilling capacity in wood: 25 mm
- Drilling capacity in steel: 8 mm
- Capacity screws: 8 mm
- Charging time: 5 Hrs
- Weight incl. battery: 1,2 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2430 cordless drill
- Charger
- 1 x '16V Max' (14,4V) 1,5Ah Li-Ion battery
- Double-ended screwdriver bit
- Instruction manual

Order Information


Order No AOC	F015 2430 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364079322
Ean Code UK/IRL	Not available

Cordless screwdriver 2636

NEW



- Lithium-Ion cordless screwdriver with micro USB charger for a wide range of charging options
- Supplied in a sturdy case with a set of 35 bits for screwdriving and pre-drilling
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- Battery-level indicator displays a warning when the battery level is low
- Automatic spindle lock to manually tighten or loosen screws and bolts
- Forward / reverse indicator enables you to see at a glance which direction you are driving
- Spotlight for better sight of your workpiece and more comfortable working in poorly lit areas
- Two extra screwdriver bits within reach thanks to bit storage on the tool
- Electronics protect against overload, overheat and deep discharge
- Soft grip and ergonomic handle size for optimum comfort and ergonomics
- This cordless screwdriver received an iF DESIGN AWARD 2017 due to its outstanding design quality



Specifications

- Voltage: 3,6 V
- Voltage: 4 'V Max'
- Battery capacity: 1,5 Ah
- No-load speed: 200 r.p.m.
- Max. torque hard joint: 7 Nm
- Hex drive: 6,35 mm
- Capacity screws: 5 mm
- Charging time: 3 Hrs
- Spotlight:
- Weight: 0,4 kg
- Voltage/frequency (charger): 100-240V/50-60Hz

Packaging contains

- Skil 2636 cordless screwdriver
- Plastic carrying case
- Micro USB charger
- 13 bits (S4,5,5,5,6,5 & PH1,3xPH2,PH3 & PZ1,3xPZ2,PZ3)
- 13 bits (H3,4,5,6,7 & T10,15,20,25,27,30,40,45)
- 2 titanium-coated hexagon drill bits for pre-drilling (2 & 3 mm)
- 5 sockets (6, 8, 10, 11 & 13 mm)
- Extension for connecting sockets
- Magnetic bitholder
- Instruction manual

Order Information

Order No AOC	F015 2636 AD
Order No UK/IRL	F015 2636 AE
Ean Code AOC	8710364076215
Ean Code UK/IRL	8710364076222

Cordless drill 2432

NEW



- Powerful '16V Max' (14,4V) cordless drill for all your DIY jobs
- Two mechanical speeds, high speed for drilling and high torque for tough screwdriving
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- 17-position VariTorque for precise screw driving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- Compact and light-weight design for convenient working
- Spotlight for better sight of your work piece and more comfortable working in poorly lit areas
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



Specifications

- Voltage: 14,4 V
- Voltage: 16 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- No-load speed: 0-400/0-1500 r.p.m.
- Max. torque hard joint: 39 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 17 + 1
- Two mechanical speeds:
- Spotlight:
- Drilling capacity in wood: 30 mm
- Drilling capacity in steel: 10 mm
- Capacity screws: 8 mm
- Charging time: 3 Hrs
- Weight incl. battery: 1,2 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2432 cordless drill
- Charger
- 1 x '16V Max' (14,4V) 1,5Ah Li-Ion battery
- Double-ended screwdriver bit
- Instruction manual

Order Information


Order No AOC	F015 2432 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364079346
Ean Code UK/IRL	Not available

Cordless drill 2432

NEW



- Powerful '16V Max' (14,4V) cordless drill for all your DIY jobs
- Two mechanical speeds, high speed for drilling and high torque for tough screwdriving
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- 17-position VariTorque for precise screw driving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- Compact and light-weight design for convenient working
- Spotlight for better sight of your work piece and more comfortable working in poorly lit areas
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



Specifications

- Voltage: 14,4 V
- Voltage: 16 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- Number of battery packs: 2
- No-load speed: 0-400/0-1500 r.p.m.
- Max. torque hard joint: 39 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 17 + 1
- Two mechanical speeds:
- Spotlight:
- Drilling capacity in wood: 30 mm
- Drilling capacity in steel: 10 mm
- Capacity screws: 8 mm
- Charging time: 3 Hrs
- Weight incl. battery: 1,2 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2432 cordless drill
- Charger
- 2 x '16V Max' (14,4V) 1,5Ah Li-Ion battery
- Set of 10 screwdriver bits (PH1,PH2,PH3, PZ1,PZ2,PZ3,S4,S6,T20,T25)
- Double-ended screwdriver bit
- Instruction manual

Order Information


Order No AOC	F015 2432 AL
Order No UK/IRL	Not available
Ean Code AOC	8710364079360
Ean Code UK/IRL	Not available

Cordless drill 2695

NEW



- Variable speed for gentle start and full control at all times
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- 5-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Convenient reversing action for driving or removing screws and bolts



Specifications

- Voltage: 12 V
- Battery capacity: 1,5 Ah
- Battery cells: NiMH
- Number of battery packs: 1
- No-load speed: 0-550 r.p.m.
- Max. torque hard joint: 26 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 5 + 1
- Drilling capacity in wood: 20 mm
- Drilling capacity in steel: 6 mm
- Charging time: 8 Hrs
- Weight incl. battery: 1,5 kg
- Voltage/frequency (charger): 230-240V/50-60Hz

Packaging contains

- Skil 2695 cordless drill
- 1 x 12V battery (1,5 Ah NiMH)
- Charger (8 hours)
- Double-ended screw bit
- Instruction manual

Order Information


Order No AOC	F015 2695 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364076734
Ean Code UK/IRL	Not available

Cordless drill 2461

NEW



- Work longer: use battery or cable
- Powerful 'Hybrid Power 16V Max' (14,4V) Lithium-Ion cordless drill for optimal cordless freedom
- Just connect the 6 metre cord to work longer
- With the cord connected, the battery automatically recharges whenever you don't pull the power switch
- The battery-level indicator recommends when to connect the cord to the tool
- The unique charging process eliminates the need for a second battery
- Handy spool to store the 6 metre long cord
- Keyless chuck for fast and easy accessory changing
- Two mechanical speeds, high speed for drilling and high torque for tough screwdriving
- 17-position VariTorque for precise screw driving plus full lock-up position for drilling
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- Variable speed for gentle start and full control at all times
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working



Specifications

- Voltage: 14,4 V
- Voltage: 16 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- No-load speed: 0-400/0-1500 r.p.m.
- Max. torque hard joint: 38 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 17 + 1
- Two mechanical speeds:
- Spotlight:
- Drilling capacity in wood: 30 mm
- Drilling capacity in steel: 10 mm
- Capacity screws: 8 mm
- Charging time: 1,5 Hrs
- Weight incl. battery: 1,2 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2461 cordless drill
- '16V Max' (14,4V) 1,5 Ah Li-Ion integrated battery
- Charger with 6 metre cord
- Instruction manual

Order Information


Order No AOC	F015 2461 AA
Order No UK/IRL	F015 2461 AB
Ean Code AOC	8710364077847
Ean Code UK/IRL	8710364077854

Cordless drill 2695

NEW



- Compact carrying case for easy storage; including 13 bit accessories & magnetic bitholder
- Variable speed for gentle start and full control at all times
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- 5-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Convenient reversing action for driving or removing screws and bolts



Specifications

- Voltage: 12 V
- Battery capacity: 1,5 Ah
- Battery cells: NiMH
- Number of battery packs: 1
- No-load speed: 0-550 r.p.m.
- Max. torque hard joint: 26 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 5 + 1
- Drilling capacity in wood: 20 mm
- Drilling capacity in steel: 6 mm
- Charging time: 8 Hrs
- Weight incl. battery: 1,5 kg
- Voltage/frequency (charger): 230-240V/50-60Hz

Packaging contains

- Skil 2695 cordless drill
- Plastic carrying case
- 1 x 12V battery (1,5 Ah NiMH)
- Charger (8 hours)
- Double-ended screw bit
- 6 HSS drill bits (1, 2, 3, 4, 5, 6 mm)
- 6 screw bits (PZ1, PZ2, PH1, PH2, S5, S6)
- Magnetic bitholder
- Instruction manual

Order Information

Order No AOC	F015 2695 AD
Order No UK/IRL	Not available
Ean Code AOC	8710364076741
Ean Code UK/IRL	Not available

Cordless drill 2830

NEW



- Very powerful '20V Max' (18V) cordless drill for all your heavy DIY jobs
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- 19-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- Spotlight for better sight of your workpiece and more comfortable working in poorly lit areas
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



Specifications

- Voltage: 18 V
- Voltage: 20 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- Number of battery packs: 1
- No-load speed: 0-700 r.p.m.
- Max. torque hard joint: 41 Nm
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 19 + 1
- Spotlight:
- Drilling capacity in wood: 35 mm
- Drilling capacity in steel: 10 mm
- Capacity screws: 6 mm
- Charging time: 5 Hrs
- Weight incl. battery: 1,3 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2830 cordless drill
- 1 x '20V Max' (18V) 1,5Ah Li-Ion battery
- Charger
- Double-ended screwdriver bit
- Instruction manual

Order Information


Order No AOC	F015 2830 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364079391
Ean Code UK/IRL	Not available

Cordless drill 2832

NEW



- Very powerful '20V Max' (18V) cordless drill for all your heavy DIY jobs
- Two mechanical speeds, high speed for drilling and high torque for tough screwdriving
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- Keyless chuck with automatic spindle lock for fast and easy accessory changing
- 19-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- Spotlight for better sight of your workpiece and more comfortable working in poorly lit areas
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



Specifications

- Voltage: 18 V
- Voltage: 20 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- Number of battery packs: 2
- No-load speed: 0-400/0-1600 r.p.m.
- Max. torque hard joint: 54 Nm
- Chuck type: Single-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 19 + 1
- Two mechanical speeds:
- Spotlight:
- Drilling capacity in wood: 35 mm
- Drilling capacity in steel: 10 mm
- Capacity screws: 8 mm
- Charging time: 3 Hrs
- Weight incl. battery: 1,3 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2832 cordless drill
- 2 x '20V Max' (18V) 1,5Ah Li-Ion battery
- Charger
- Double-ended screwdriver bit
- Set of 10 screwdriver bits (PH1,PH2,PH3, PZ1,PZ2,PZ3,S4,S6,T20,T25)
- Instruction manual

Order Information


Order No AOC	F015 2832 AL
Order No UK/IRL	Not available
Ean Code AOC	8710364079438
Ean Code UK/IRL	Not available

Cordless drill 2832

NEW



- Very powerful '20V Max' (18V) cordless drill for all your heavy DIY jobs
- Two mechanical speeds, high speed for drilling and high torque for tough screwdriving
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- Keyless chuck with automatic spindle lock for fast and easy accessory changing
- 19-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- Electronic brake prevents overtightening of screws and enables quicker, more efficient working
- Spotlight for better sight of your workpiece and more comfortable working in poorly lit areas
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



Specifications

- Voltage: 18 V
- Voltage: 20 'V Max'
- Battery capacity: 1,5 Ah
- Battery cells: Li-Ion
- Number of battery packs: 1
- No-load speed: 0-400/0-1600 r.p.m.
- Max. torque hard joint: 54 Nm
- Chuck type: Single-sleeve keyless
- Chuck capacity: 10 mm
- Clutch settings: 19 + 1
- Two mechanical speeds:
- Spotlight:
- Drilling capacity in wood: 35 mm
- Drilling capacity in steel: 10 mm
- Capacity screws: 8 mm
- Charging time: 3 Hrs
- Weight incl. battery: 1,3 kg
- Voltage/frequency (charger): 220-240V/50-60Hz

Packaging contains

- Skil 2832 cordless drill
- 1 x '20V Max' (18V) 1,5Ah Li-Ion battery
- Charger
- Double-ended screwdriver bit
- Instruction manual

Order Information

Order No AOC	F015 2832 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364079421
Ean Code UK/IRL	Not available

Drill driver 6220



- Drill driver: non-stop power, no battery, no charging time
- Compact lightweight design with 6 metre cord for optimal working comfort
- Environment-friendlier than comparable products with battery
- 20-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- Left/Right-function for driving or removing screws
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- Ergonomic handle for a well balanced working position



Specifications

- Input power: 0,75 A
- No-load speed: 0-800 r.p.m.
- Max. torque hard joint: 27 Nm
- Clutch settings: 20 + 1
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Drilling capacity in wood: 20 mm
- Drilling capacity in steel: 8 mm
- Capacity screws: 6 mm
- Cord length: 6 m
- Weight: 1,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Order Information

Order No AOC	F015 6220 AA
Order No UK/IRL	F015 6220 AB
Ean Code AOC	8710364062065
Ean Code UK/IRL	8710364062072

Drill driver 6221



ENERGline

- Drill driver: non-stop power, no battery, no charging time
- Compact lightweight design with 6 metre cord for optimal working comfort
- Environment-friendlier than comparable products with battery
- 2 mechanical speeds: high speed for drilling and high power for screwdriving
- 20-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- Left/Right-function for driving or removing screws
- 10 mm double-sleeve keyless chuck for quick, easy accessory change
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



NEW

Specifications

- Input power: 0,9 A
- No-load speed: 0 - 400 / 1600 r.p.m.
- Max. torque hard joint: 38 Nm
- Clutch settings: 20 + 1
- Chuck type: Double-sleeve keyless
- Chuck capacity: 10 mm
- Variable speed switch:
- Drilling capacity in wood: 20 mm
- Drilling capacity in steel: 8 mm
- Capacity screws: 6 mm
- Cord length: 6 m
- Weight: 1,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Order Information

Order No AOC	F015 6221 AA
Order No UK/IRL	F015 6221 AB
Ean Code AOC	8710364067510
Ean Code UK/IRL	8710364067527

Hammer drill 6002



- Compact hammer drill with a comfortable design
- Ideal for all drilling jobs in and around the home
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Reverse function for screwdriving
- Variable-speed switch with:- lock-on button for continuous work- speed selection knob to preselect speed for optimal performance in every application

Specifications

- Input: 500 W
- Chuck type: Keyed
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 16 mm
- Drilling capacity in wood: 30 mm
- No-load speed: 0-3000 r.p.m.
- Max. impact rate: 0-48000 /min
- Weight: 1,8 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Chuck key
- Stone drill set 3 pcs (Ø 5/6/8 mm)

Order Information

Order No AOC	F015 6002 CA
Order No UK/IRL	F015 6002 CB
Ean Code AOC	8710364062317
Ean Code UK/IRL	8710364062324

Drill driver 6224



ENERGline

- Drill driver: non-stop power, no battery, no charging time
- Compact lightweight design with 10 metre cord for optimal working comfort
- Environment-friendlier than comparable products with battery
- 2 mechanical speeds: high speed for drilling and high power for screwdriving
- 20-position VariTorque for precise screwdriving plus full lock-up position for drilling
- Variable speed for gentle start and full control at all times
- Left/Right-function for driving or removing screws
- 10 mm double-sleeve keyless metal chuck for quick, easy accessory change
- Soft grip and ergonomic handle size for optimum comfort and ergonomics



NEW

Specifications

- Input power: 0,9 A
- No-load speed: 0-400/1600 r.p.m.
- Max. torque hard joint: 38 Nm
- Clutch settings: 20 + 1
- Chuck type: Metal double-sleeve keyless
- Chuck capacity: 10 mm
- Variable speed switch:
- Drilling capacity in wood: 20 mm
- Drilling capacity in steel: 8 mm
- Capacity screws: 6 mm
- Cord length: 10 m
- Weight: 1,2 kg
- Voltage/frequency: 230-240V/50-60Hz

Order Information

Order No AOC	F015 6224 AA
Order No UK/IRL	F015 6224 AB
Ean Code AOC	8710364071906
Ean Code UK/IRL	8710364071913

Hammer drill 6271



- Powerful 710W hammer drill
- Compact hammer drill with a comfortable contemporary design
- Ideal for all drilling jobs in and around the home
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Function indicator to show operating mode
- Reverse function for screwdriving
- Variable-speed switch with:- lock-on button for continuous work- speed selection knob to preselect speed for optimal performance in every application
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to preselect drilling depth for blind holes

Specifications

- Input: 710 W
- Chuck type: Keyed
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 16 mm
- Drilling capacity in wood: 35 mm
- No-load speed: 0-2700 r.p.m.
- Max. impact rate: 0-43200 /min
- Weight: 1,7 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Chuck key
- Side handle
- Depth gauge

Order Information

Order No AOC	F015 6271 AA
Order No UK/IRL	F015 6271 AB
Ean Code AOC	8710364062362
Ean Code UK/IRL	8710364062379

Hammer drill 6280



- Compact hammer drill with a comfortable design
- 13 mm double-sleeve keyless chuck for easy accessory change
- Ideal for all drilling jobs in and around the home
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Reverse function for screwdriving
- Variable-speed switch with:- lock-on button for continuous work- speed selection knob to preselect speed for optimal performance in every application
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to preselect drilling depth for blind holes

Specifications

- Input: 550 W
- Chuck type: Double-sleeve keyless
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 16 mm
- Drilling capacity in wood: 35 mm
- No-load speed: 0-3000 r.p.m.
- Max. impact rate: 0-48000 /min
- Weight: 1,8 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Side handle
- Depth gauge

Order Information

Order No AOC	F015 6280 CA
Order No UK/IRL	F015 6280 CB
Ean Code AOC	8710364062331
Ean Code UK/IRL	8710364062348

Hammer drill 6290



- Powerful 710W hammer drill
- 13 mm double sleeve keyless chuck for easy accessory change
- Compact hammer drill with a comfortable contemporary design
- Ideal for all drilling jobs in and around the home
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Function indicator to show operating mode
- Reverse function for screwdriving
- Variable-speed switch with:- lock-on button for continuous work- speed selection knob to preselect speed for optimal performance in every application
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to preselect drilling depth for blind holes

Specifications

- Input: 710 W
- Chuck type: Double-sleeve keyless
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 16 mm
- Drilling capacity in wood: 35 mm
- No-load speed: 0-2700 r.p.m.
- Max. impact rate: 0-43200 /min
- Weight: 1,7 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Side handle
- Depth gauge
- Stone drill set 3 pcs (Ø 5/6/8 mm)

Order Information

Order No AOC	F015 6290 AA
Order No UK/IRL	F015 6290 AB
Ean Code AOC	8710364062386
Ean Code UK/IRL	8710364062393

Hammer drill 6280



- Compact hammer drill with a comfortable design
- 13 mm double-sleeve keyless chuck for easy accessory change
- Ideal for all drilling jobs in and around the home
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Reverse function for screwdriving
- Variable-speed switch with:- lock-on button for continuous work- speed selection knob to preselect speed for optimal performance in every application
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to preselect drilling depth for blind holes

Specifications

- Input: 550 W
- Chuck type: Double-sleeve keyless
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 16 mm
- Drilling capacity in wood: 35 mm
- No-load speed: 0-3000 r.p.m.
- Max. impact rate: 0-48000 /min
- Weight: 1,8 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Side handle
- Depth gauge
- Plastic carrying case
- Wood drill set 3 pcs (Ø 5/6/8 mm)
- Stone drill set 3 pcs (Ø 5/6/8 mm)
- Steel drill set 3 pcs (Ø 5/6/8 mm)
- 6 screw bits
- Magnetic bit holder

Order Information

Order No AOC	F015 6280 CK
Order No UK/IRL	F015 6280 CL
Ean Code AOC	8710364062355
Ean Code UK/IRL	8710364065530

Hammer drill 6395

NEW



- Powerful 1000 Watt motor for tough applications
- Durable metal 13 mm keyed chuck
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Function indicator to show operating mode
- Soft grip for comfortable handling and optimal control
- Reverse function for screwdriving
- Variable-speed switch with lock-on button for continuous work
- Speed pre-selection wheel to set the right speed for every job
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to preselect drilling depth for blind holes

Specifications

- Input: 1.000 W
- Chuck type: Keyed
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 20 mm
- Drilling capacity in wood: 40 mm
- No-load speed: 0-3000 r.p.m.
- Max. impact rate: 0-48000 /min
- Weight: 2,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 6395 hammer drill
- Side handle
- Depth gauge
- Instruction manual

Order Information


Order No AOC	F015 6395 AA
Order No UK/IRL	F015 6395 AB
Ean Code AOC	8710364075379
Ean Code UK/IRL	8710364075386

Hammer drill 6398

NEW



- Powerful 1000 Watt motor for tough applications
- 'Click' spindle lock for quick and easy accessory change
- Durable metal single-sleeve 13 mm keyless chuck
- High impacts/minute rate for fast, effortless masonry drilling
- Hammer stop for all regular drilling and screwdriving jobs
- Function indicator to show operating mode
- Soft grip for comfortable handling and optimal control
- Reverse function for screwdriving
- Variable-speed switch with lock-on button for continuous work
- Speed pre-selection wheel to set the right speed for every job
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to preselect drilling depth for blind holes



Specifications

- Input: 1.000 W
- Chuck type: Metal single-sleeve keyless
- Chuck capacity: 13 mm
- Drilling capacity in steel: 13 mm
- Drilling capacity in masonry: 20 mm
- Drilling capacity in wood: 40 mm
- No-load speed: 0-3000 r.p.m.
- Max. impact rate: 0-48000 /min
- Weight: 2,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 6398 hammer drill
- Compact carrying case
- Side handle
- Depth gauge
- Stone drill bit set 3 pcs (Ø 5, 6, 8 mm)
- Instruction manual

Order Information

Order No AOC	F015 6398 AD
Order No UK/IRL	F015 6398 AE
Ean Code AOC	8710364075454
Ean Code UK/IRL	8710364075461

SDS drill 1763

NEW



- Powerful pneumatic SDS drill for effortlessly drilling in concrete
- 4-function SDS drill: 1. Hammer drilling; 2. SDS drill stop for regular drilling; 3. Rotation stop for light chiseling work; 4. Chiseling with free rotation for maximum freedom of movement
- SDS+ system for fast, easy bit changing
- Ergonomically shaped handgrip for optimal user comfort
- Anti-slip soft grip for more user comfort
- Variable-speed switch allows precise starting and drilling at the right speed for every material
- Speed selection wheel to set the right speed for every job
- Safety clutch offers protection if the bit ever gets jammed
- Forward/reverse switch for easy changing the working direction of the tool
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to set the drilling depth for blind holes



Specifications

- Input: 1.010 W
- Chuck type: SDS+
- Impact force (EPTA): 2,4 J
- Drilling capacity in steel: 13 mm
- Drilling capacity in concrete: 26 mm
- Drilling capacity in wood: 40 mm
- No-load speed: 0-950 r.p.m.
- Max. impact rate: 0-4100 /min
- Weight: 3,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 1763 SDS drill
- Side handle
- Depth gauge
- Instruction manual


Order Information

Order No AOC	F015 1763 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364078677
Ean Code UK/IRL	Not available

SDS drill 1743



- Powerful pneumatic SDS drill mechanism for effortless drilling in concrete
- 3-function SDS drill: 1. Hammer drilling; 2. SDS drill stop for regular drilling and screwdriving; 3. Rotation stop for light chiseling applications
- SDS+ system for fast, easy bit changing
- Ergonomically shaped handgrip for user comfort and protection
- Soft grip for comfortable handling and optimal control
- Variable-speed switch with:- lock-on button for continuous work- speed selection wheel to set the right speed for every job
- Safety clutch for protection in case the bit gets jammed
- Steplessly adjustable side handle with soft grip for secure, two-handed control
- Easy-to-adjust depth gauge to set the drilling depth for blind holes



Specifications

- Input: 600 W
- Chuck type: SDS+
- Impact force: 1,3 J
- Impact force (EPTA): EPTA-value not available yet J
- Drilling capacity in steel: 13 mm
- Drilling capacity in concrete: 20 mm
- Drilling capacity in wood: 30 mm
- No-load speed: 0-1100 r.p.m.
- Max. impact rate: 0-5800 /min
- Weight: 2,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Side handle with soft grip
- Depth gauge
- 3 SDS+ drill bits (6,8,10 mm)

Order Information

Order No AOC	F015 1743 AA
Order No UK/IRL	F015 1743 AB
Ean Code AOC	8710364055203
Ean Code UK/IRL	8710364055623

SDS drill 1763

NEW



- Powerful pneumatic SDS drill for effortlessly drilling in concrete
- 4-function SDS drill: 1. Hammer drilling; 2. SDS drill stop for regular drilling; 3. Rotation stop for light chiseling work; 4. Chiseling with free rotation for maximum freedom of movement
- SDS+ system for fast, easy bit changing
- Ergonomically shaped handgrip for optimal user comfort
- Anti-slip soft grip for more user comfort
- Variable-speed switch allows precise starting and drilling at the right speed for every material
- Speed selection wheel to set the right speed for every job
- Safety clutch offers protection if the bit ever gets jammed
- Forward/reverse switch for easy changing the working direction of the tool
- Steplessly adjustable side handle for secure two-handed control
- Easy-to-adjust depth gauge to set the drilling depth for blind holes



Specifications

- Input: 1.010 W
- Chuck type: SDS+
- Impact force (EPTA): 2,4 J
- Drilling capacity in steel: 13 mm
- Drilling capacity in concrete: 26 mm
- Drilling capacity in wood: 40 mm
- No-load speed: 0-950 r.p.m.
- Max. impact rate: 0-4100 /min
- Weight: 3,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 1763 SDS drill
- Plastic carrying case
- Side handle
- Depth gauge
- Keyed 13 mm chuck and SDS+ adapter
- Instruction manual

Order Information

Order No AOC	F015 1763 AK
Order No UK/IRL	Not available
Ean Code AOC	8710364078707
Ean Code UK/IRL	Not available

SDS drill 1766



NEW

- Powerful L-shaped SDS drill with a 1500W motor
- SDS drill with 3 functions : hammer drilling, SDS drill stop for regular drilling/screwdriving, and rotation stop for light chiseling work
- Vibration Reduction System ensures optimal working comfort and low vibrations
- SDS+ system for fast, easy bit changing
- Robust magnesium gear housing
- Anti-slip soft grip on back- and side handle for more user comfort
- Speed selection wheel to set the right speed for every job
- Safety clutch for protection in case the bit gets jammed
- Adjustable side handle with soft grip for secure, two-handed control
- Easy-to-adjust depth gauge to set the drilling depth for blind holes
- Rubber cord



Specifications

- Input: 1.500 W
- Chuck type: SDS+
- Impact force: 4,5 J
- Impact force (EPTA):
EPTA-value not available yet J
- Drilling capacity in steel: 13 mm
- Drilling capacity in concrete: 36 mm
- Drilling capacity in wood: 40 mm
- No-load speed: 0-800 r.p.m.
- Max. impact rate: 0-2700 /min
- Weight: 5,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Side handle with soft grip
- Depth gauge
- Plastic carrying case
- SDS+ drill bits (8,10,12 mm)
- SDS+ point chisel
- SDS+ flat chisel

Order Information

Order No AOC	F015 1766 AK
Order No UK/IRL	F015 1766 AL
Ean Code AOC	8710364068111
Ean Code UK/IRL	8710364068128

Multi sander 7207



- Compact, lightweight design for optimum user comfort
- Multifunctional footshape for large areas as well as corners
- Effective sanding movement and powerful motor for perfect sanding results
- Easy 'Clic' mechanism for turning or replacing delta tip, and for mounting special attachments without using tools
- 3 special attachments for sanding hard-to-reach surfaces
- Adapter for mounting special attachments in 3 positions
- Special flexible attachment that adapts to round shapes
- Integrated dust collection system and dustbag to minimize dust levels
- Delta tip can be turned twice for extended service life
- Softgrip for optimal control
- Easy (Velcro system) paper change
- Low noise and vibration level



Specifications

- Input: 100 W
- Total sanding surface: 151 x 102 mm
- Turnable delta tip size: 92 mm
- Sanding movements: 24.000 p.m.
- Sanding orbit Ø: 1,6 mm
- Weight: 1,0 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbag
- Turnable delta tip
- 3 sanding attachments
- Adapter for mounting sanding attachments
- Tool bag
- 12 sanding sheets

Order Information

Order No AOC	F015 7207 AK
Order No UK/IRL	F015 7207 AM
Ean Code AOC	8710364065981
Ean Code UK/IRL	8710364067626

Multi sander 7207



- Compact, lightweight design for optimum user comfort
- Multifunctional footshape for large areas as well as corners
- Effective sanding movement and powerful motor for perfect sanding results
- Easy 'Clic' mechanism for turning or replacing delta tip, and for mounting special attachments without using tools
- 8 special attachments for sanding hard-to-reach surfaces (Skil accessories, not included as standard)
- Adapter for mounting special attachments in 3 positions (Skil accessory 2610393758, not included as standard)
- Special flexible attachment that adapts to round shapes (Skil accessory 2610393757, not included as standard)
- Integrated dust collection system and dustbag to minimize dust levels
- Delta tip can be turned twice for extended service life
- Softgrip for optimal control



Specifications

- Input: 100 W
- Total sanding surface: 151 x 102 mm
- Turnable delta tip size: 92 mm
- Sanding movements: 24.000 p.m.
- Sanding orbit Ø: 1,6 mm
- Weight: 1,0 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbag
- Turnable delta tip
- 3 sanding sheets (grit 120)


Order Information

Order No AOC	F015 7207 AA
Order No UK/IRL	F015 7207 AB
Ean Code AOC	8710364035489
Ean Code UK/IRL	8710364035496

Multi sander 7220



- Three tools combined into one: detail sander, orbital sander and random orbital sander
- Effective sanding action and powerful motor for fast, smooth removal
- Integrated dust suction and vacuum cleaner attachment for maximum dust collection and a cleaner working environment
- Two speed settings for controlled material removal
- Easy Velcro paper change
- Triangular foam part of delta tip can be turned for extended service life
- Multifunctional backing pad for sanding large areas as well as hard-to-reach places
- Sanding pad brake ensures scratch-free sanding (the short rundown time prevents damage to the workpiece when switching off the tool)
- Grinds, sands and polishes curved and flat surfaces



Specifications

- Input: 250 W
- Sanding disc Ø: 125 mm
- Total sanding surface: 151 x 102 mm
- Turnable delta tip size: 92 mm
- Sanding movements: 19.000-26.000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,3 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Backing pad (round)
- Backing pad (pointed)
- Dustbox
- Turnable Delta tip
- Sanding disc (5x)
- Sanding sheet (5x)
- Tool bag


Order Information

Order No AOC	F015 7220 AC
Order No UK/IRL	F015 7220 AE
Ean Code AOC	8710364064700
Ean Code UK/IRL	8710364064687

Multi sander 7226



- Detail-, orbital- and random orbital sander combined into one plus three special attachments standard included
- Multifunctional tool that can perform a wide variety of applications
- Multifunctional backing pad for sanding large areas as well as in corners
- Round backing pad for grinding, sanding and polishing curved and flat surfaces
- Three special attachments included for sanding hard-to-reach surfaces
- Effective sanding action and powerful motor for fast, smooth removal
- Integrated dust suction and vacuum cleaner attachment for maximum dust collection and a cleaner working environment
- Two speed settings for controlled material removal
- Easy Velcro paper change
- Triangular foam part of delta tip can be turned for extended service life
- Sanding pad brake ensures scratch-free sanding (the short rundown time prevents damage to the workpiece when switching off the tool)



Specifications

- Input: 250 W
- Sanding disc Ø: 125 mm
- Total sanding surface (pointed backing pad): 151 x 102 mm
- Total sanding surface (flexible attachment): 54 x 54 mm
- Total sanding surface (finger-shaped attachment): 32 x 87
- Total sanding surface (Louvre attachment): 93 x 93 mm
- Sanding movements: 19000-26000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,3 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Backing pad (round)
- Backing pad (pointed)
- Sanding attachments (3x)
- Dustbox
- Sanding disc (3x)
- Sanding sheet (12x)
- Tool bag

Order Information

Order No AOC	F015 7226 AC
Order No UK/IRL	F015 7226 AE
Ean Code AOC	8710364064694
Ean Code UK/IRL	8710364070251

Orbital sander 7348



- Sander with large sanding orbit for fast and smooth finishing of large surfaces
- Steplessly adjustable variable-speed control for optimum sanding performance on different materials
- Integrated dust-collection system with dustbag
- Integrated vacuum cleaner connection
- Velcro and clamps for use of both Velcro paper and regular paper
- Ergonomic, lightweight design for comfortable working
- Soft grip for optimal comfort and control
- Low noise and vibration levels
- Easy accessible on/off switch on top of tool



Specifications

- Input: 160 W
- Sanding surface: 92 x 185 mm
- Regular sanding sheet size: 93 x 230 mm
- Velcro sanding sheet size: 93 x 186 mm
- Sanding movements: 12000-24000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Dust bag
- Sanding sheets (3 x regular, grits 60/80/120)

Order Information

Order No AOC	F015 7348 AA
Order No UK/IRL	F015 7348 AB
Ean Code AOC	8710364065035
Ean Code UK/IRL	8710364065042

Orbital sander 7338



- Sander with large sanding orbit for fast and smooth finishing of large surfaces
- Velcro and clamps for use of both Velcro paper and regular paper
- Integrated vacuum cleaner connection
- Dust suction through foot for cleaner working
- Ergonomic, lightweight design for comfortable working
- Soft grip for optimal comfort and control
- Low noise and vibration levels
- Easy accessible on/off switch on top of tool



Specifications

- Input: 160 W
- Sanding surface: 92 x 185 mm
- Regular sanding sheet size: 93 x 230 mm
- Velcro sanding sheet size: 93 x 186 mm
- Sanding movements: 24000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,0 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Sanding sheets (3 x regular, grits 60/80/120)

Order Information

Order No AOC	F015 7338 AA
Order No UK/IRL	F015 7338 AB
Ean Code AOC	8710364065974
Ean Code UK/IRL	8710364066155

Orbital sander 7361



- Effective sanding action and powerful motor for fast, smooth removal
- Variable-speed dial for controlled material removal on different materials
- Integrated dust suction and double 'Dust filter' system for cleaner working
- Choice of sandpapers: paper hold by means of Velcro or clamps
- Ergonomic design including soft grip for comfortable working
- Low noise and vibration levels
- On/off switch on top of tool for easy access



Specifications

- Input: 240 W
- Sanding surface: 92 x 185 mm
- Regular sanding sheet size: 93 x 230 mm
- Velcro sanding sheet size: 93 x 186 mm
- Sanding movements: 12000-26000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,7 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbox
- 3 sanding sheets (2x regular, 1x velcro)

Order Information

Order No AOC	F015 7361 AA
Order No UK/IRL	F015 7361 AB
Ean Code AOC	8710364040612
Ean Code UK/IRL	8710364040629

Orbital sander 7366



- 'Pressure control' LED's inform when too much pressure is applied; let the tool do the work!
- Effective sanding action and powerful motor for fast, smooth removal
- Integrated dust suction and double 'Dust filter' system for cleaner working
- Choice of sandpapers: paper hold by means of Velcro or clamps
- Ergonomic design including soft grip for comfortable working
- Low noise and vibration levels
- On/off switch on top of tool for easy access



Specifications

- Input: 240 W
- Sanding surface: 92 x 185 mm
- Regular sanding sheet size: 93 x 230 mm
- Velcro sanding sheet size: 93 x 186 mm
- Sanding movements: 26000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,7 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbox
- Durable plastic case
- 30 sheets, mixed grits (15x velcro, 15x regular)

Order Information

Order No AOC	F015 7366 AC
Order No UK/IRL	Not available
Ean Code AOC	8710364039456
Ean Code UK/IRL	Not available

Detail sander 7125



- Powerful detail sander with large sanding movements for effortless sanding
- Ideal for sanding corners and edges
- Two different foot positions: position 1 for sanding corners and position 2 for sanding edges
- Quick-change system for easily adjusting the foot position
- Velcro backing pad for fast and easy accessory changing
- Steplessly adjustable variable-speed control for optimum sanding performance on different materials
- Vacuum cleaner connection for a cleaner working environment
- Ergonomic design is comfortably rounded
- Large integrated on/off slider on top of tool for optimal comfort
- Integrated key storage
- Cable length of 2,75 metres ensures optimal working freedom



NEW

Specifications

- Input: 260 W
- Sanding surface (corner to corner): 90 mm
- Sanding sheet size (corner to corner): 93 mm
- Sanding movements: 12000-20000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 7125 detail sander
- Velcro sanding sheets (2x grit 60, 2x grit 120 and 2x grit 240)
- Hexagon key
- Instruction manual

Order Information

Order No AOC	F015 7125 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364077748
Ean Code UK/IRL	Not available

Orbital sander 7380



- Effective sanding movement and powerful motor for fast and smooth finishing
- Extra large aluminium sanding base
- Variable speed dial wheel for controlled material removal on different materials
- Integrated dust suction and double 'Dust filter' system for cleaner working
- Easy to use and durable paper clamp system
- Ergonomic design including softgrip for comfortable working
- Low noise and vibration level
- On/off switch on top of tool for optimal comfort



Specifications

- Input: 300 W
- Sanding surface: 115 x 230 mm
- Regular sanding sheet size: 115 x 280 mm
- Sanding movements: 12000-22000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 2,3 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbox
- Durable carrying case
- 15 sanding sheets (grits 60, 120 and 180)

Order Information

Order No AOC	F015 7380 AA
Order No UK/IRL	F015 7380 AB
Ean Code AOC	8710364031863
Ean Code UK/IRL	8710364031870

Detail sander 7126



- Powerful detail sander with large sanding movements for effortless sanding
- Ideal for sanding corners and edges
- Two different foot positions: position 1 for sanding corners and position 2 for sanding edges
- Finger-shaped attachment for sanding hard-to-reach places
- Quick-change system for easily adjusting the foot position
- Velcro backing pad for fast and easy accessory changing
- Steplessly adjustable variable-speed control for optimum sanding performance on different materials
- Vacuum cleaner connection for a cleaner working environment
- Ergonomic design is comfortably rounded
- Large integrated on/off slider on top of tool for optimal comfort
- Integrated key storage
- Cable length of 2,75 metres ensures optimal working freedom



NEW

Specifications

- Input: 260 W
- Sanding surface (corner to corner): 90 mm
- Sanding sheet size (corner to corner): 93 mm
- Sanding movements: 12000-20000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 7126 detail sander
- Compact carrying case
- Velcro sanding sheets (3x grit 60, 4x grit 120 and 3x grit 240)
- Finger-shaped attachment
- Finger-shaped Velcro sanding sheets (2x grit 60, 3x grit 120)
- Hexagon key
- Instruction manual

Order Information

Order No AOC	F015 7126 AD
Order No UK/IRL	Not available
Ean Code AOC	8710364077779
Ean Code UK/IRL	Not available

Random orbital sander 7445



- Powerful 430 Watt motor for fast, effortless sanding of curved and flat surfaces
- 'Dust level indicator' for efficient sanding: indicates exactly when dustbox needs to be emptied to increase dust pick-up
- Integrated dust-collection system with dustbox
- Integrated vacuum cleaner connection
- Easy Velcro paper change
- Sanding pad brake ensures scratch-free sanding (the short rundown time prevents damage to the workpiece when switching off the tool)
- Low noise and vibration levels
- Ergonomic design for comfortable working
- Easy accessible on/off switch on top of tool



Specifications

- Input: 430 W
- Sanding disc Ø: 125 mm
- Sanding movements: 26000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,9 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbox
- Sanding disc (3x)

Order Information

Order No AOC	F015 7445 AA
Order No UK/IRL	F015 7445 AB
Ean Code AOC	8710364069088
Ean Code UK/IRL	8710364069095

Random orbital sander 7455



- Powerful 430 Watt motor for fast, effortless sanding of curved and flat surfaces
- 'Dust level indicator' for efficient sanding: indicates exactly when dustbox needs to be emptied to increase dust pick-up
- Steplessly adjustable variable-speed control for optimum sanding performance on different materials
- Integrated dust-collection system with dustbox
- Integrated vacuum cleaner connection
- Easy Velcro paper change
- Sanding pad brake ensures scratch-free sanding (the short rundown time prevents damage to the workpiece when switching off the tool)
- Low noise and vibration levels
- Modern, ergonomic design includes soft grip for optimal handling
- Easy accessible on/off switch on top of tool



Specifications

- Input: 430 W
- Sanding disc Ø: 125 mm
- Sanding movements: 14000-26000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,9 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbox
- Sanding disc (3x)
- Toolbag

Order Information

Order No AOC	F015 7455 AD
Order No UK/IRL	F015 7455 AE
Ean Code AOC	8710364069125
Ean Code UK/IRL	8710364073191

Random orbital sander 7455



- Powerful 430 Watt motor for fast, effortless sanding of curved and flat surfaces
- 'Dust level indicator' for efficient sanding: indicates exactly when dustbox needs to be emptied to increase dust pick-up
- Steplessly adjustable variable-speed control for optimum sanding performance on different materials
- Integrated dust-collection system with dustbox
- Integrated vacuum cleaner connection
- Easy Velcro paper change
- Sanding pad brake ensures scratch-free sanding (the short rundown time prevents damage to the workpiece when switching off the tool)
- Low noise and vibration levels
- Modern, ergonomic design includes soft grip for optimal handling
- Easy accessible on/off switch on top of tool



Specifications

- Input: 430 W
- Sanding disc Ø: 125 mm
- Sanding movements: 14000-26000 p.m.
- Sanding orbit Ø: 2,0 mm
- Weight: 1,9 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbox
- Sanding disc (3x)

Order Information

Order No AOC	F015 7455 AA
Order No UK/IRL	F015 7455 AB
Ean Code AOC	8710364069101
Ean Code UK/IRL	8710364069118

Belt sander 1210



- High belt speed for large-scale material removal
- Automatic Belt Control prevents the belt from running off the tool
- Compact and ergonomic design ensures perfect grip for 2-handed control
- Integrated dustsuction and large dustbag for cleaner working
- Easy belt change by means of 'Clic'
- Softgrip for comfortable working over longer periods of time
- Large lock-on button on top for continuous use



Specifications

- Input: 650 W
- Belt size: 76 x 457 mm
- Sanding surface: 76 x 130 mm
- Belt speed: 300 m/min
- Weight: 2,8 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Dustbag
- 1 sanding belt


Order Information

Order No AOC	F015 1210 AA
Order No UK/IRL	F015 1210 AC
Ean Code AOC	8710364041213
Ean Code UK/IRL	8710364041237

Belt sander 1215



- High belt speed for large-scale material removal
- Automatic Belt Control prevents the belt from running off the tool
- Compact and ergonomic design ensures perfect grip for 2-handed control
- Easy-to-mount 'Equalizer' sanding frame; prevents scratches and equalizes surfaces perfectly
- Integrated dustsuction and efficient dustfilter system for cleaner working
- Adapter included for use of external vacuum cleaner
- Easy belt change by means of 'Clic' without the need to remove the sanding frame first
- Softgrip for comfortable working over longer periods of time
- Large lock-on button on top for continuous use



Specifications

- Input: 650 W
- Belt size: 76 x 457 mm
- Sanding surface: 76 x 130 mm
- Belt speed: 300 m/min
- Weight: 2,9 kg
- Voltage/frequency: 230-240V/50-60 Hz

Packaging contains

- Dustbox
- 1 sanding belt
- Vacuum cleaner adapter
- Sanding frame

Order Information


Order No AOC	F015 1215 AA
Order No UK/IRL	F015 1215 AC
Ean Code AOC	8710364041244
Ean Code UK/IRL	8710364041268

Jigsaw 4250

NEW



- Very compact, lightweight design (only 1.3 kg)
- Ideal jigsaw that can handle all common sawing jobs in and around the home
- 'Twistlock' for keyless blade change and strong blade clamping
- Pre-select variable speed for high precision cutting in various materials
- No key required for adjusting the footplate angle
- Footplate angle adjustable up to 45° left or right for accurate bevel cuts
- Blower function keeps line of cut clean and easy to follow
- Integrated vacuum cleaner adapter
- Large comfortable switch with lock-on button for continuous use
- Including 3 saw blades



Specifications

- Input: 400 W
- Blade speed: 0-3000 s.p.m.
- Sawing capacity in wood: 65 mm
- Sawing capacity in aluminium: 10 mm
- Sawing capacity in metal: 4 mm
- Variable speed switch:
- Length of stroke: 18 mm
- Weight: 1,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 4250 jigsaw
- Plastic carrying case
- Saw blade (fine, wood)
- Saw blade (medium, wood)
- Saw blade (curves, wood)
- Instruction manual

Order Information


Order No AOC	F015 4250 AD
Order No UK/IRL	F015 4250 AE
Ean Code AOC	8710364078486
Ean Code UK/IRL	8710364078493

Jigsaw 4180

NEW



- Very compact, lightweight design (only 1.3 kg)
- Ideal jigsaw that can handle all common sawing jobs in and around the home
- 'Twistlock' for keyless blade change and strong blade clamping
- No key required for adjusting the footplate angle
- Footplate angle adjustable up to 45° left or right for accurate bevel cuts
- Blower function keeps line of cut clean and easy to follow
- Integrated vacuum cleaner adapter
- Large comfortable switch with lock-on button for continuous use



Specifications

- Input: 380 W
- Blade speed: 3000 s.p.m.
- Sawing capacity in wood: 65 mm
- Sawing capacity in aluminium: 10 mm
- Sawing capacity in metal: 4 mm
- Length of stroke: 18 mm
- Weight: 1,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 4180 jigsaw
- Saw blade (fine, wood)
- Instruction manual

Order Information

Order No AOC	F015 4180 AA
Order No UK/IRL	F015 4180 AB
Ean Code AOC	8710364078424
Ean Code UK/IRL	8710364078431

Jigsaw 4285



- Very compact, lightweight design (only 1.3 kg)
- Ideal jigsaw that can handle all common sawing jobs in and around the home
- Limited raw material usage and efficient motor with low energy consumption
- Optimal working freedom thanks to the 6 metre cord
- Large comfortable switch with lock-on button for continuous use
- Foot adjustable up to 45° left or right for accurate bevel cuts
- Blower function keeps line of cut clean and easy to follow
- Integrated vacuum cleaner adapter
- Integrated key storage
- Including 3 saw blades



Specifications

- Input: 1,4 A
- Blade speed: 3000 s.p.m.
- Sawing capacity in wood: 45 mm
- Sawing capacity in aluminium: 6 mm
- Sawing capacity in metal: 4 mm
- Cord length: 6 m
- Length of stroke: 18 mm
- Weight: 1,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 4285 jigsaw
- Hexagon key
- Saw blade (fine, wood)
- Saw blade (medium, wood)
- Saw blade (curve, wood)
- Instruction manual


Order Information

Order No AOC	F015 4285 AA
Order No UK/IRL	F015 4285 AB
Ean Code AOC	8710364072255
Ean Code UK/IRL	8710364072262

Jigsaw 4370



- 5 material selections: 1 setting for sawing curved lines and 4 settings for straight sawing in different materials.
- Steplessly adjustable variable speed control for high precision cutting in various materials
- SUPER SIZED saw blade guide roller supports blade optimally for more accurate sawing
- Spotlight improves sight of work in poorly lit areas
- Blower function keeps line of cut clean and easy to follow
- Dust suction facility with dust port that fits most standard household vacuum cleaners
- Large comfortable switch with lock-on button for continuous use
- Designed to allow optimal view of the work piece
- Softgrip for better and more comfortable grip



Specifications

- Input: 550 W
- Blade speed: 800-3000 s.p.m.
- Orbital settings: 5
- Sawing capacity in wood: 75 mm
- Sawing capacity in aluminium: 12 mm
- Sawing capacity in metal: 4 mm
- Spotlight:
- Variable speed switch:
- Length of stroke: 20 mm
- Weight: 2,1 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- 2 hexagon keys
- 6 saw blades
- Plastic carrying case with blade storage


Order Information

Order No AOC	F015 4370 AD
Order No UK/IRL	Not available
Ean Code AOC	8710364038695
Ean Code UK/IRL	Not available

Jigsaw 4381



- TURBO sawing mode allows switching between normal and fast sawing speed
- Steplessly adjustable variable speed control for high precision cutting in various materials
- For T- and U-shank jigsaw blades
- Cable clip for easy cable storage
- Blower function keeps line of cut clean and easy to follow
- Dust suction facility with dust port that fits most standard household vacuum cleaners
- Large comfortable switch with lock-on button for continuous use
- Soft grip for better and more comfortable grip
- Adjustable foot for making bevel cuts at 15°, 30° and 45°
- Aluminium foot for optimal stability
- Integrated key storage



Specifications

- Input: 500 W
- Blade speed: 800-3000 s.p.m.
- Orbital settings: 2
- Sawing capacity in wood: 75 mm
- Sawing capacity in aluminium: 12 mm
- Sawing capacity in metal: 4 mm
- Variable speed switch:
- Length of stroke: 20 mm
- Weight: 2,1 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Hexagon key
- 3 jigsaw blades
- Plastic carrying case


Order Information

Order No AOC	F015 4381 AD
Order No UK/IRL	Not available
Ean Code AOC	8710364063154
Ean Code UK/IRL	Not available

Jigsaw 4381



- TURBO sawing mode allows switching between normal and fast sawing speed
- Steplessly adjustable variable speed control for high precision cutting in various materials
- For T- and U-shank jigsaw blades
- Cable clip for easy cable storage
- Blower function keeps line of cut clean and easy to follow
- Dust suction facility with dust port that fits most standard household vacuum cleaners
- Large comfortable switch with lock-on button for continuous use
- Soft grip for better and more comfortable grip
- Adjustable foot for making bevel cuts at 15°, 30° and 45°
- Aluminium foot for optimal stability
- Integrated key storage



Specifications

- Input: 500 W
- Blade speed: 800-3000 s.p.m.
- Orbital settings: 2
- Sawing capacity in wood: 75 mm
- Sawing capacity in aluminium: 12 mm
- Sawing capacity in metal: 4 mm
- Variable speed switch:
- Length of stroke: 20 mm
- Weight: 2,1 kg
- Voltage/frequency: 220-240V/50-60Hz


Packaging contains

- Hexagon key


Order Information

Order No AOC	F015 4381 AA
Order No UK/IRL	F015 4381 AB
Ean Code AOC	8710364063123
Ean Code UK/IRL	8710364063130

Jigsaw 4581
SPOT LIGHT



- 5 orbital settings for accurate sawing and sawing at full speed
- Spotlight improves sight of work in poorly lit areas
- Blade storage for 2 jigsaw blades so additional blades are always at hand
- Steplessly adjustable variable speed control for high precision cutting in various materials
- Dust blower switch for dust extraction or dust blowing to keep a good view of the sawline at all times
- 'Clic' foot with 7 different positions with 15° indents, made of robust aluminium
- Large comfortable switch with lock-on button for continuous use
- Dust suction facility with dust port that fits most standard household vacuum cleaners
- Soft grip for better and more comfortable grip



Specifications

- Input: 710 W
- Blade speed: 800-3000 s.p.m.
- Orbital settings: 5
- Sawing capacity in wood: 80 mm
- Sawing capacity in aluminium: 16 mm
- Sawing capacity in metal: 5 mm
- Spotlight:
- Variable speed switch:
- Length of stroke: 23 mm
- Weight: 2,2 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Hexagon key
- Saw blade


Order Information

Order No AOC	F015 4581 CA
Order No UK/IRL	Not available
Ean Code AOC	8710364056491
Ean Code UK/IRL	Not available

Jigsaw 4581
SPOT LIGHT



- 5 orbital settings for accurate sawing and sawing at full speed
- Spotlight improves sight of work in poorly lit areas
- Blade storage for 2 jigsaw blades so additional blades are always at hand
- Speed dial wheel to adjust the sawing speed to your needs (very useful for smooth starting, or working very accurately)
- Dust blower switch for dust extraction or dust blowing to keep a good view of the sawline at all times
- 'Clic' foot with 7 different positions with 15° indents, made of robust aluminium
- Large comfortable switch with lock-on button for continuous use
- Dust suction facility with dust port that fits most standard household vacuum cleaners
- Soft grip for better and more comfortable grip



Specifications

- Input: 710 W
- Blade speed: 800-3000 s.p.m.
- Orbital settings: 5
- Sawing capacity in wood: 80 mm
- Sawing capacity in aluminium: 16 mm
- Sawing capacity in metal: 5 mm
- Spotlight:
- Length of stroke: 23 mm
- Weight: 2,2 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Hexagon key
- 7-piece saw blade set
- Plastic carrying case

Order Information

Order No AOC	F015 4581 CD
Order No UK/IRL	Not available
Ean Code AOC	8710364056514
Ean Code UK/IRL	Not available

Circular saw 5665



- Powerful 1250 Watt motor with high speed (5000 r.p.m.) for fast, high-precision cutting
- Durable helical gears and dust-sealed ball-bearing construction
- Spindle lock for easy blade changing
- Dust suction facility with dust port for most household vacuum cleaners or dustbag (optional: Skil accessory 2610387402)
- Compact design for optimal control and guidance
- Safety switch to prevent accidental starting
- Maximum depth of cut is 65 mm at 90 degrees, 43 mm at 45 degrees
- Lower guard lift lever for pocket cuts
- Integrated key storage
- Saw line visor for easy and accurate tracing of marked line
- Ergonomically superior design for optimal control and guidance



Specifications

- Sawing capacity at 90°: 65 mm
- Sawing capacity at 45°: 43 mm
- Input: 1.250 W
- No-load speed: 5.000 r.p.m.
- Saw blade Ø: 184 mm
- Arbor Ø: 16 mm
- Weight: 3,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Saw blade (24 teeth, Ø 184 mm)
- Hexagon key for easy blade changing
- Parallel guide

Order Information

Order No AOC	F015 5665 AA
Order No UK/IRL	F015 5665 AB
Ean Code AOC	8710364073658
Ean Code UK/IRL	8710364073665

Circular saw 5255



- Powerful 1.150 Watt motor and high speed (5.000 r.p.m.) for cutting at depths up to 55 mm
- Saw line visor for easy and accurate tracing of marked line
- Ergonomically superior design for optimal control and guidance
- Spindle lock for easy blade changing
- Durable helical gears and dust-sealed ball-bearing construction
- Integrated key storage



Specifications

- Sawing capacity at 90°: 55 mm
- Sawing capacity at 45°: 38 mm
- Input: 1.150 W
- No-load speed: 5.000 r.p.m.
- Saw blade Ø: 170 mm
- Arbor Ø: 16 mm
- Weight: 3,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Ø 170 mm blade (24 teeth)
- Hexagon key for easy blade changing
- Parallel guide

Order Information

Order No AOC	F015 5255 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364068050
Ean Code UK/IRL	Not available

Circular saw 5740



- A circular saw is the fastest and easiest way to cut accurately along a straight line in all types of wood
- Powerful 700 watt motor and high speed (4.300 r.p.m.) for cutting at depths up to 40 mm
- Ergonomically superior design for optimal control and guidance. Handle angle like a handsaw for optimal hand/arm positioning
- Saw line visor for easy and accurate tracing of marked line
- Compact and handy design, only weighs 2,4 kg
- Ball-bearing construction
- Easy-to-read depth, foot and bevel scales
- Safety switch to prevent accidental starting
- Wide, heavy-gauge steel foot for increased stability
- Lower guard lift lever for pocket cuts
- Dust suction facility; dust port fits most standard household vacuum cleaners or dustbag (Skil accessory 2610387402)



Specifications

- Sawing capacity at 90°: 40 mm
- Sawing capacity at 45°: 26 mm
- Input: 700 W
- No-load speed: 4.300 r.p.m.
- Saw blade Ø: 130 mm
- Arbor Ø: 16 mm
- Weight: 2,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Ø 130 mm blade (24 teeth)
- Hexagon key for easy blade changing
- Parallel guide

Order Information

Order No AOC	F015 5740 CA
Order No UK/IRL	F015 5740 CD
Ean Code AOC	8710364057917
Ean Code UK/IRL	8710364057924

Circular saw 5765



- Powerful 1350 Watt motor with high speed (5000 r.p.m.) for fast, high-precision cutting
- Durable helical gears and dust-sealed ball-bearing construction
- Spindle lock for easy blade changing
- Dust suction facility with dust port for most household vacuum cleaners or dustbag (optional: Skil accessory 2610387402)
- Compact design for optimal control and guidance
- Safety switch to prevent accidental starting
- Maximum depth of cut is 65 mm at 90 degrees, 43 mm at 45 degrees
- Lower guard lift lever for pocket cuts
- Integrated key storage
- Saw line visor for easy and accurate tracing of marked line
- Ergonomically superior design for optimal control and guidance



Specifications

- Sawing capacity at 90°: 65 mm
- Sawing capacity at 45°: 43 mm
- Input: 1.350 W
- No-load speed: 5.000 r.p.m.
- Saw blade Ø: 184 mm
- Arbor Ø: 16 mm
- Weight: 3,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Carbide-tipped saw blade (18 teeth, Ø 184 mm)
- Hexagon key for easy blade changing
- Parallel guide


Order Information

Order No AOC	F015 5765 AA
Order No UK/IRL	F015 5765 AB
Ean Code AOC	8710364073689
Ean Code UK/IRL	8710364073696

Saw guide 2610Z04064



- The Skil saw guide is the best assistance for accurately making 90° as well as 45° cuts
- For optimal results simply align the saw guide to the pencil line and slide the Skilsaw over the rail
- Perfectly straight and accurate cuts with a maximum deviation of 1 mm per metre
- For compact storage and transportation the total length of 144 cm is divided in 4 pieces of 36 cm
- The Clic connection provides for a quick and easy set-up
- The Skil saw guide can handle every workpiece with a width from 8 to 136 cm
- Suitable for Skil DIY models 1052, 5064, 5140, 5155, 5165, 5166, 5255, 5265, 5665, 5740, 5765, 5840 and for Skil MASTERS models 5055, 5065, 5066, 5865, 5866, 5885, 5940
- Standard delivered as a complete set with footplate adapter and clamps



Specifications

- Maximum length: 144 cm
- Guide-rail size: 4 x 36 mm
- Maximum deviation: 1 mm/m
- For models: 1051, 1052, 1054, 5003, 5064, 5055, 5065, 5-066, 5140, 5155, 5165, 5166, 5255, 5265, 56-65, 5740, 5765, 5840, 5866, 5885, 5940

Packaging contains

- Saw guide (4 x 36 cm pieces)
- 2 Clamps
- Footplate adapter

Order Information

Order No AOC	2610 Z040 64
Order No UK/IRL	2610 Z040 64
Ean Code AOC	8710364065899
Ean Code UK/IRL	8710364065899

Circular saw 5765



- Powerful 1350 Watt motor with high speed (5000 r.p.m.) for fast, high-precision cutting
- Durable helical gears and dust-sealed ball-bearing construction
- Spindle lock for easy blade changing
- Dust suction facility with dust port for most household vacuum cleaners or dustbag (optional: Skil accessory 2610387402)
- Compact design for optimal control and guidance
- Safety switch to prevent accidental starting
- Maximum depth of cut is 65 mm at 90 degrees, 43 mm at 45 degrees
- Lower guard lift lever for pocket cuts
- Integrated key storage
- Saw line visor for easy and accurate tracing of marked line
- Ergonomically superior design for optimal control and guidance



Specifications

- Sawing capacity at 90°: 65 mm
- Sawing capacity at 45°: 43 mm
- Input: 1.350 W
- No-load speed: 5.000 r.p.m.
- Saw blade Ø: 184 mm
- Arbor Ø: 16 mm
- Weight: 3,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Durable plastic case
- Carbide-tipped saw blade (18 teeth, Ø 184 mm)
- Hexagon key for easy blade changing
- Parallel guide


Order Information

Order No AOC	F015 5765 AD
Order No UK/IRL	F015 5765 AE
Ean Code AOC	8710364074167
Ean Code UK/IRL	8710364074174

Compact multi-material saw 5330



- This handy saw cuts through a wide variety of materials (wood, laminate, ceramic tiles, aluminium and plastic)
- Powerful 600W motor and high 28,5 mm cutting depth
- The compact, lightweight design facilitates one-hand operation thus optimal working freedom
- Ideal for plunge cutting
- Spindle lock for easy blade change
- Parallel guide, saw blades and diamond disc standard included



Specifications

- Sawing capacity at 90°: 28,5 mm
- Input: 600 W
- No-load speed: 6.000 r.p.m.
- Arbor Ø: 10 mm
- Max. Ø saw blade: 89 mm
- Min. Ø saw blade: 85 mm
- Weight: 2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Hardened steel saw blade (80 teeth) (2x)
- Diamond disc
- Hose for connecting vacuum cleaner
- Parallel guide
- Hex key

Order Information

Order No AOC	F015 5330 AA
Order No UK/IRL	F015 5330 AB
Ean Code AOC	8710364069798
Ean Code UK/IRL	8710364069804

Reciprocating- and jigsaw combination 4600



- Handy 2-in-1 reciprocating- and jigsaw combination for sawing tasks in and around the house
- Just click and slide the handle from reciprocating saw- into jigsaw position
- Reciprocating saw position for rough cutting of branches, beams, pipes, etc.
- Jigsaw position for precise sawing of planks, boards, curves, etc.
- Unique blade holder accepts both reciprocating saw blades and jigsaw blades, matching each sawing task
- Easy to handle due to its low weight and compactness
- Integrated dust blower provides a clear view on the line of cut
- Robust aluminium base plate guarantees stability and accuracy
- Compact, efficient motor that gets the job done
- Lock-on button for convenient continuous working
- One reciprocating saw blade and two jigsaw blades included
- The 'Combisaw' received an iF DESIGN AWARD 2016 due to its outstanding design quality



Specifications

- Input: 400 W
- Stroke length: 18 mm
- Blade speed: 3000 s.p.m.
- Sawing capacity in wood (reciprocating saw): 80 mm
- Sawing capacity in wood (jigsaw): 80 mm
- Sawing capacity in branches Ø: 80 mm
- Sawing capacity in aluminium: 12 mm
- Sawing capacity in metal: 8 mm
- Weight: 1,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 4600 reciprocating- and jigsaw combination
- Jigsaw blade (wood)
- Jigsaw blade (curves)
- Reciprocating saw blade (wood)
- Hexagon key
- Instruction manual


Order Information

Order No AOC	F015 4600 AA
Order No UK/IRL	F015 4600 AB
Ean Code AOC	8710364073269
Ean Code UK/IRL	8710364073276

Reciprocating saw 4900



- Powerful and durable reciprocating saw
- Ideal for a wide variety of cutting applications such as demolition cutting, pruning and tree trimming
- Variable speed for controlled cutting in delicate materials or high-speed results
- User-friendly saw blade changing without tools and integrated blade storage
- Power On indicator shows you the tool is ready for use
- Soft grip for better and more comfortable grip



Specifications

- Input: 1.050 W
- Stroke length: 28 mm
- Blade speed: 800 - 2.700 s.p.m.
- Sawing capacity in wood: 180 mm
- Sawing capacity in aluminium: 30 mm
- Sawing capacity in metal: 20 mm
- Weight: 3,7 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Hexagon key
- Wood cutting blade

Order Information

Order No AOC	F015 4900 AG
Order No UK/IRL	F015 4900 AH
Ean Code AOC	8710364068920
Ean Code UK/IRL	8710364068937

Reciprocating- and jigsaw combination 4600



- Handy 2-in-1 reciprocating- and jigsaw combination for sawing tasks in and around the house
- Just click and slide the handle from reciprocating saw- into jigsaw position
- Reciprocating saw position for rough cutting of branches, beams, pipes, etc.
- Jigsaw position for precise sawing of planks, boards, curves, etc.
- Unique blade holder accepts both reciprocating saw blades and jigsaw blades, matching each sawing task
- Easy to handle due to its low weight and compactness
- Integrated dust blower provides a clear view on the line of cut
- Robust aluminium base plate guarantees stability and accuracy
- Compact, efficient motor that gets the job done
- Lock-on button for convenient continuous working
- The Combisaw received an iF DESIGN AWARD 2016 due to its outstanding design quality



Specifications

- Input: 400 W
- Stroke length: 18 mm
- Blade speed: 3000 s.p.m.
- Sawing capacity in wood (reciprocating saw): 80 mm
- Sawing capacity in wood (jigsaw): 80 mm
- Sawing capacity in branches Ø: 80 mm
- Sawing capacity in aluminium: 12 mm
- Sawing capacity in metal: 8 mm
- Weight: 1,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 4600 reciprocating- and jigsaw combination
- Durable plastic case
- Three reciprocating saw blades (1x wood, 2x metal)
- Three jigsaw blades (1x wood, 1x metal, 1x curves)
- Hexagon key
- Instruction manual

Order Information

Order No AOC	F015 4600 AD
Order No UK/IRL	F015 4600 AE
Ean Code AOC	8710364075928
Ean Code UK/IRL	8710364075935

Reciprocating saw 4900



- Powerful and durable reciprocating saw
- Ideal for a wide variety of cutting applications such as demolition cutting, pruning and tree trimming
- Variable speed for controlled cutting in delicate materials or high-speed results
- User-friendly saw blade changing without tools and integrated blade storage
- Power On indicator shows you the tool is ready for use
- Soft grip for better and more comfortable grip



Specifications

- Input: 1.050 W
- Stroke length: 28 mm
- Blade speed: 800 - 2.700 s.p.m.
- Sawing capacity in wood: 180 mm
- Sawing capacity in aluminium: 30 mm
- Sawing capacity in metal: 20 mm
- Weight: 3,7 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Hexagon key
- Canvas bag
- Wood cutting blade (3x)
- Tree trimming blade (2x)
- Metal cutting blade


Order Information

Order No AOC	F015 4900 AK
Order No UK/IRL	F015 4900 AL
Ean Code AOC	8710364068982
Ean Code UK/IRL	8710364068999

Mitre saw 1131



- Dual bevel feature allows saw head to be tilted left and right for more freedom of cutting in narrow places
- Powerful 1300 Watt motor for quick working process
- Maximum depth of cut 56 mm; maximum width of cut 115 mm
- Integrated vacuum cleaner connection
- Spindle lock for easy blade changing
- Integrated carrying handle for easy transport
- Stable position, 7 rubber feet assure firm grip
- Saw table can be easily fixed to workbench using either bolts or clamps



Specifications

- Input: 1.300 W
- No-load speed: 5500 r.p.m.
- Sawing capacity at 90° / 90°: 115 x 56 mm
- Sawing capacity at 90° / 45°: 78 x 56 mm
- Sawing capacity at 45° / 90°: 112 x 30 mm
- Ø Saw blade: 210 mm
- Ø Arbor: 30 mm
- Max. bevel angle: -45° / +45°
- Max. mitre angle: -45° / +45°
- Weight: 7,6 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- 210 mm Carbide tipped blade (24 teeth)
- Vertical clamp
- Dust bag
- Rear support
- 2 Hex keys

Order Information

Order No AOC	F015 1131 AA
Order No UK/IRL	F015 1131 AB
Ean Code AOC	8710364055784
Ean Code UK/IRL	8710364055791

Rotary tool 1415



- Ideal tool for 101 jobs in and around the home
- Variable speed for optimal precision and control
- Spindle lock for quick and easy accessory change
- Compact tool with soft grip for maximum comfort
- Unique adjustable support grip for optimum control



Specifications

- Input: 125 W
- No-load speed: 15.000 - 35.000 r.p.m.
- Weight: 0,5 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Collet wrench
- 2,4 and 3,2 mm collets
- Adjustable support grip
- 25 accessories

Order Information

Order No AOC	F015 1415 AD
Order No UK/IRL	F015 1415 AH
Ean Code AOC	8710364043590
Ean Code UK/IRL	8710364067619

Rotary tool 1415
SPOT LIGHT



- Ideal tool for 101 jobs in and around the home
- Variable speed for optimal precision and control
- Spindle lock for quick and easy accessory change
- Compact tool with soft grip for maximum comfort
- Unique adjustable support grip for optimum control
- Spotlight for a good view of your work



Specifications

- Input: 125 W
- No-load speed: 15.000 - 35.000 r.p.m.
- Weight: 0,5 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Collet wrench
- 2,4 and 3,2 mm collets
- Plastic carrying case
- Adjustable support grip with Spotlight (including 2 AA batteries)
- Total of 25 accessories
- Including flexible shaft
- Including tool stand
- Extra 3,2 mm collet

Order Information

Order No AOC	F015 1415 AC
Order No UK/IRL	F015 1415 AG
Ean Code AOC	8710364028559
Ean Code UK/IRL	8710364028559

Multi tool 1470



MULTI-TASKER

- Sanding, sawing and cutting with just one tool
- Multi-functional tool that can perform a wide variety of applications
- The powerful 200 Watt motor provides sufficient power to do the job
- Steplessly adjustable variable speed control
- Universal accessory system for fast and easy exchange of accessories
- Can also be used in combination with Bosch 'OIS' and 'Starlock' accessories
- Dust extraction attachment for cleaner working
- Ergonomic design and soft grip for optimal comfort and control
- 3 metre cable for optimal working freedom



Specifications

- Input: 200 W
- Oscillating angle left/right: 1,4 °
- No-load speed: 12000-19000 movements/min.
- Weight: 1,1 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Sanding attachment
- 2 sanding sheets (grit 80 and 120)
- Segment saw blade
- Plunge-cutting saw blade wood (20 mm)
- Dust adapter
- Hexagon key

Order Information

Order No AOC	F015 1470 AA
Order No UK/IRL	F015 1470 AB
Ean Code AOC	8710364051342
Ean Code UK/IRL	8710364051359

Multi tool 1480

NEW



- Sanding, sawing, cutting and more with one tool
- Multi-functional tool for a wide variety of tasks, especially handy when detailed work is required
- Gets the job done faster thanks to the powerful 300 Watt motor
- Depth stop with variable depth (0-80 mm) for accurate sawing and cutting, prevents damaging material underneath and quick wear-out of accessories
- Side handle can be connected to either side of the tool for optimum guidance and control
- 'OIS' universal accessory system facilitates the use of a broad range of accessories for all kinds of applications
- Can also be used in combination with Bosch 'OIS' and 'Starlock' accessories
- Ergonomic design and soft grip for optimal comfort and control
- Steplessly adjustable variable speed control
- Cable length of 3 metres ensures optimal working freedom
- Integrated key storage
- Possibility to connect a vacuum cleaner for dust-free sanding



Specifications

- Input: 300 W
- Oscillating angle left/right: 1,5 °
- No-load speed: 14000-22000 movements/min.
- Weight: 1,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 1480 multi tool
- Durable carrying case
- Depth stop
- Side handle
- Segment saw blade
- Plunge-cutting saw blade metal - 32 mm
- Plunge-cutting saw blade wood - 20 mm
- Rigid scraper blade for removing glue, mortar and tile adhesives
- Flexible scraper blade for removing carpet adhesives and joint material
- Sanding attachment
- Sanding sheet (6x)
- Dust adapter
- Hexagon key
- Instruction manual

Order Information


Order No AOC	F015 1480 AD
Order No UK/IRL	F015 1480 AE
Ean Code AOC	8710364075690
Ean Code UK/IRL	8710364075706

Angle grinder 9006

NEW



- Compact grinder; ideal for a wide variety of light cutting and grinding applications
- Anti-slip soft grip for more user comfort
- Three side handle positions for optimal grip in all applications
- Restart protection ensures that the tool does not restart automatically after a power shut-off
- Hardened helical gears ensure a lower noise level, a higher torque and a longer life time of the tool
- Slim and durable metal gear housing provides easy access, even in narrow spaces
- Spindle lock for easy accessory change
- Safety guard provides protection against sparks and can be adjusted to any working situation
- Security slider switch for secure operation, even with gloves
- M14 spindle prepared for 'Clic' flange



Specifications

- Input: 600 W
- Max. disk Ø: 115 mm
- No-load speed: 12000 r.p.m.
- Arbor Ø: 22 mm
- Spindle thread: M14
- Weight: 1,6 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 9006 angle grinder
- Safety guard
- Side handle
- Accessory key
- Hexagon key
- Set of flanges
- Instruction manual

Order Information

Order No AOC	F015 9006 AA
Order No UK/IRL	F015 9006 AB
Ean Code AOC	8710364074556
Ean Code UK/IRL	8710364074563

Electric scraper 7710



- Multifunctional 200 Watt tool for all kinds of surface removal, smoothing, restoring and carving jobs
- 3 speeds for more precision and control
- Tool less "CLIC" attachment change for fast changing and removing of attachments
- Compact and ergonomic design with soft grip
- Extra 'push' position for maximum working comfort

Specifications

- Input: 200 W
- No-load speed: 6500/8500/9500 movements/min.
- Speed settings: 3
- Movement: 2,2 mm
- Weight: 1,2 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- 1 wide (60 mm) steel blade
- 1 wide (60 mm) steel spatula
- 1 narrow (15 mm) flat steel chisel
- 1 narrow (35 mm) steel universal blade

Order Information


Order No AOC	F015 7710 AA
Order No UK/IRL	F015 7710 AB
Ean Code AOC	8710364040636
Ean Code UK/IRL	8710364063185

Angle grinder 9008

NEW



- Powerful 800W motor for perfect cutting, grinding and de-rusting results
- Ergonomic design and three side handle positions provide optimal grip
- Safety guard with 'Clic' system can be adjusted in seconds for every working situation
- Easy to handle due to its low weight and compactness
- Three metre cord provides working freedom
- Large switch for optimal convenience
- Hardened helical gears ensure a lower noise level, a higher torque and a longer life time of the tool
- Spindle lock for easy accessory change
- M14 spindle prepared for 'Clic' flange



Specifications

- Input: 800 W
- Max. disk Ø: 125 mm
- No-load speed: 12000 r.p.m.
- Arbor Ø: 22 mm
- Spindle thread: M14
- Slim rear handle:
- Weight: 2,0 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 9008 angle grinder
- Safety guard
- Side handle
- Accessory key
- Set of flanges
- Instruction manual

Order Information

Order No AOC	F015 9008 AA
Order No UK/IRL	F015 9008 AB
Ean Code AOC	8710364073726
Ean Code UK/IRL	8710364073733

Angle grinder 9012

ROTATABLE

NEW



- Powerful 1200W motor for perfect cutting, grinding and de-rusting results
- Rotatable rear handle and three side handle positions for optimal control in all applications
- Safety guard with 'Auto Clic' system can be adjusted with one hand in a second
- Three metre cord provides working freedom
- Large switch for optimal convenience
- Hardened helical gears ensure a lower noise level, a higher torque and a longer life time of the tool
- Spindle lock for easy accessory change
- M14 spindle prepared for 'Clic' flange



Specifications

- Input: 1.200 W
- Max. disk Ø: 125 mm
- No-load speed: 12000 r.p.m.
- Arbor Ø: 22 mm
- Spindle thread: M14
- Slim rear handle:
- Weight: 2,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 9012 angle grinder
- Safety guard
- Side handle
- Accessory key
- Set of flanges
- Instruction manual

Order Information

Order No AOC	F015 9012 AA
Order No UK/IRL	F015 9012 AB
Ean Code AOC	8710364073801
Ean Code UK/IRL	8710364073818

Angle grinder 9782



- Extremely powerful 2400W motor for the toughest applications
- Soft start for gradual run-up to maximum speed without kickback
- High-quality components ensure reliability and a long lifetime of the tool
- Side handle can be mounted in three positions for comfortable handling
- Closed rear handle for protecting the hand of the user
- Anti-slip soft grip for more user comfort
- Three metre cord for optimal working freedom
- Spindle lock for easy accessory change



Specifications

- Input: 2.400 W
- Max. disk Ø: 230 mm
- No-load speed: 6600 r.p.m.
- Arbor Ø: 22 mm
- Spindle thread: M14
- Weight: 5,2 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Side handle
- Protective guard
- Hexagon key
- Accessory key
- Set of flanges

Order Information


Order No AOC	F015 9782 AA
Order No UK/IRL	F015 9782 AB
Ean Code AOC	8710364073030
Ean Code UK/IRL	8710364073047

Angle grinder 9016

NEW



- Compact grinder; ideal for a wide variety of light cutting and grinding applications
- Anti-slip soft grip for more user comfort
- Three side handle positions for optimal grip in all applications
- Restart protection ensures that the tool does not restart automatically after a power shut-off
- Hardened helical gears ensure a lower noise level, a higher torque and a longer life time of the tool
- Slim and durable metal gear housing provides easy access, even in narrow spaces
- Spindle lock for easy accessory change
- Safety guard provides protection against sparks and can be adjusted to any working situation
- Security slider switch for secure operation, even with gloves
- M14 spindle prepared for 'Clic' flange



Specifications

- Input: 600 W
- Max. disk Ø: 125 mm
- No-load speed: 12000 r.p.m.
- Arbor Ø: 22 mm
- Spindle thread: M14
- Weight: 1,6 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 9016 angle grinder
- Safety guard
- Side handle
- Accessory key
- Hexagon key
- Set of flanges
- Instruction manual

Order Information

Order No AOC	F015 9016 AA
Order No UK/IRL	F015 9016 AB
Ean Code AOC	8710364074846
Ean Code UK/IRL	8710364076246

Heat gun 8003



- Everything you need for over 100 jobs, combined in a single tool
- Powerful 2000 Watt heat gun
- "Constant heat control" mechanism prevents the tool from overheating and enables continuous working
- 3 temperature settings for a wide range of applications
- Ergonomic handle shape for easy handling and effortless use over long periods
- Easy-to-operate 4-position slide concealed in back of handle for a comfortable grip when working for long periods
- Removable front ring enables working in hard-to-reach places
- Safe hands-free use for numerous jobs thanks to stable stationary position
- Ideal for removing paint and stickers, ski waxing and dewaxing, disinfecting animal cages, lighting barbecues and much more



Specifications

- Input: 2.000 W
- Temperature range: 70/450/600 °C
- Airflow: 350/550 l/min
- Electronics: -
- Cord length: 2,75 m
- Weight: 0,5 kg
- Voltage/frequency: 220-240V/50-60Hz

Order Information

Order No AOC	F015 8003 DA
Order No UK/IRL	Not available
Ean Code AOC	8710364064755
Ean Code UK/IRL	Not available

Heat gun 8003



- Everything you need for over 100 jobs, combined in a single tool
- Powerful 2000 Watt heat gun
- "Constant heat control" mechanism prevents the tool from overheating and enables continuous working
- 3 temperature settings for a wide range of applications
- Ergonomic handle shape for easy handling and effortless use over long periods
- Easy-to-operate 4-position slide concealed in back of handle for a comfortable grip when working for long periods
- Removable front ring enables working in hard-to-reach places
- Safe hands-free use for numerous jobs thanks to stable stationary position
- Ideal for removing paint and stickers, ski waxing and dewaxing, disinfecting animal cages, lighting barbecues and much more



Specifications

- Input: 2.000 W
- Temperature range: 70/450/600 °C
- Airflow: 350/550 l/min
- Electronics: -
- Cord length: 2,75 m
- Weight: 0,5 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 8003 heat gun
- Compact plastic case
- 1 glass protection nozzle
- 1 flat nozzle
- 1 reduction nozzle

Order Information

Order No AOC	F015 8003 DC
Order No UK/IRL	F015 8003 DD
Ean Code AOC	8710364064762
Ean Code UK/IRL	8710364064779

Electric planer 1558



- Accurate and easy-to-handle tool for planing surfaces and chamfering corners
- 600 Watt motor provides sufficient power to complete every planing job
- Easy, accurate depth setting
- Large depth setting knob also serves as additional front handle for optimal control
- Modern, ergonomic design includes soft grip for optimal handling
- Reversible planing blades for a smooth finish and long lifetime
- V-groove for easy chamfering
- Integrated wrench storage
- Dust-free operation possible with vacuum cleaner



Specifications

- Input: 600 W
- Planing width: 82 mm
- Planing depth: 0 - 2 mm
- No-load speed: 17.000 r.p.m.
- Weight: 2,5 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Reversible blade (2x)
- Wrench for changing blades
- Wrench storage
- Vacuum cleaner adapter


Order Information

Order No AOC	F015 1558 AA
Order No UK/IRL	F015 1558 AB
Ean Code AOC	8710364064854
Ean Code UK/IRL	8710364064861

Heat gun 8004



- Powerful 2000W electronically controlled heat gun
- LCD display for indication of actual and desired temperature and airflow
- Memory function stores the most recently used temperature setting, even when the tool is not plugged in
- Steplessly adjustable temperature setting up to 650 degrees for a wide range of jobs
- Variable airflow in 5 settings between 250 and 500 l/min
- "Constant heat control" mechanism prevents the tool from overheating and enables continuous working
- Can be used in combination with reduction nozzles with a small output diameter for soldering, desoldering and welding jobs
- Soft grip for optimal working comfort
- Removable front ring enables working in hard-to-reach places
- Safe hands-free use for numerous jobs thanks to stable stationary position



Specifications

- Input: 2.000 W
- Temperature range: 50-650 °C
- Airflow: 250-500 l/min
- Electronics: +
- Cord length: 2,75 m
- Weight: 0,7 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Compact plastic case
- 1 glass protection nozzle
- 1 flat nozzle
- 1 reduction nozzle
- 1 reflector nozzle

Order Information

Order No AOC	F015 8004 AA
Order No UK/IRL	F015 8004 AB
Ean Code AOC	8710364054794
Ean Code UK/IRL	8710364054800

Electric planer 1565



- Powerful 720 Watt electric planer for planing surfaces, chamfering and rabbeting
- Chip outlets on left- and right side for adjusting chip ejection to the working situation
- Reversible TCT planing blades for a smooth finish and long lifetime
- Handy parking foot protects workpiece and planing blades
- High-quality aluminium base for ultra-smooth results
- Large depth setting knob also serves as additional front handle for optimal control
- 2 V-grooves in aluminium base for easy chamfering
- Modern ergonomic design for optimal handling
- Integrated wrench storage
- Power On indicator shows you the tool is ready for use
- Optional: dust-free operation possible with vacuum cleaner or dustbag



Specifications

- Input: 720 W
- Planing width: 82 mm
- Planing depth: 0 - 2 mm
- Rabbeting depth: 18 mm
- No-load speed: 16.000 r.p.m.
- Weight: 3,0 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- 2 reversible TCT blades
- Wrench for changing blades
- Wrench storage

Order Information

Order No AOC	F015 1565 AA
Order No UK/IRL	F015 1565 AB
Ean Code AOC	8710364064885
Ean Code UK/IRL	8710364064892

Electric planer 1565



- Powerful 720 Watt electric planer for planing surfaces, chamfering and rabbeting
- Chip outlets on left- and right side for adjusting chip ejection to the working situation
- Reversible TCT planing blades for a smooth finish and long lifetime
- Handy parking foot protects workpiece and planing blades
- High-quality aluminium base for ultra-smooth results
- Large depth setting knob also serves as additional front handle for optimal control
- 2 V-grooves in aluminium base for easy chamfering
- Modern ergonomic design for optimal handling
- Integrated wrench storage
- Power On indicator shows you the tool is ready for use
- Optional: dust-free operation possible with vacuum cleaner or dustbag



Specifications

- Input: 720 W
- Planing width: 82 mm
- Planing depth: 0 - 2 mm
- Rabbeting depth: 18 mm
- No-load speed: 16.000 r.p.m.
- Weight: 3,0 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- 2 reversible TCT blades
- Wrench for changing blades
- Wrench storage
- Dustbag
- Parallel guide
- Rabbeting depth adjuster
- Plastic carrying case


Order Information

Order No AOC	F015 1565 AD
Order No UK/IRL	F015 1565 AE
Ean Code AOC	8710364064915
Ean Code UK/IRL	8710364064922

Electric staple gun 8200



- Corded electric staple gun for fast and easy stapling and nailing of various materials
- 'Impact control' adjusts the impact to match every surface
- Cable length of 6 metres for optimal working freedom
- Trigger lock prevents accidental operation
- Soft grip for optimal working comfort
- Processes staples and nails up to 16 mm



Specifications

- Number of impacts: 20 p.m.
- Staple length: 8-16 mm
- Staple width: 11,4 mm
- Nail length: 15-16 mm
- Loading capacity staples: 100 pcs
- Loading capacity nails: 80 pcs
- Cable length: 6 m
- Weight: 1,0 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- 400 staples (14 mm)
- 100 nails (15 mm)

Order Information

Order No AOC	F015 8200 AA
Order No UK/IRL	F015 8200 AB
Ean Code AOC	8710364057757
Ean Code UK/IRL	8710364061457

Wood router 1840



- Rabetting, chamfering, cutting slots and grooves, edges and profiles; this powerful 1300 Watt wood router handles all these jobs and many more with ease
- Variable speed, 12.000 - 28.000 r.p.m., for working in a wide range of materials with different wood router bits
- Adjustable handles with soft grip for perfect ergonomics and controlled working
- Spindle lock for fast bit change with a single wrench
- Turret depth stop for easy routing to 3 preset depths
- Fine depth adjustment for quick and accurate fine adjustments
- Integrated dust suction facility for a cleaner working environment
- Spotlight for a better view of the workpiece
- Flat top for easy bit changing
- Die-cast aluminium base, plastic-coated for easy movement over surface of material



Specifications

- Input: 1.300 W
- Max. plunge stroke: 60 mm
- Ø Collet: 6 & 8 mm
- No-load speed: 12000-28000 r.p.m.
- Weight: 3,8 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Set of 3 wood router bits
- 2 collets: 6 & 8 mm
- Parallel, curve & circular guide
- Copying ring
- Wrench
- Durable plastic case


Order Information

Order No AOC	F015 1840 AD
Order No UK/IRL	Not available
Ean Code AOC	8710364055517
Ean Code UK/IRL	Not available

Electric staple gun 8200



- Corded electric staple gun for fast and easy stapling and nailing of various materials
- 'Impact control' adjusts the impact to match every surface
- Cable length of 6 metres for optimal working freedom
- Trigger lock prevents accidental operation
- Soft grip for optimal working comfort
- Processes staples and nails up to 16 mm



Specifications

- Number of impacts: 20 p.m.
- Staple length: 8-16 mm
- Staple width: 11,4 mm
- Nail length: 15-16 mm
- Loading capacity staples: 100 pcs
- Loading capacity nails: 80 pcs
- Cable length: 6 m
- Weight: 1,0 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- 1000 staples (14 mm)
- 500 nails (15 mm)
- Compact carrying case


Order Information

Order No AOC	F015 8200 AC
Order No UK/IRL	F015 8200 AC
Ean Code AOC	8710364057764
Ean Code UK/IRL	8710364057764

Paddle mixer 1016



- Powerful 1200W paddle mixer for all kinds of materials like mortars, paints, adhesives etc.
- Two-hands grip for comfortable working and optimal control
- M14 tool connection for easy standard accessory change and no-loss power transmission
- High-quality gears for maximum torque efficiency
- Electronic soft start for full control
- Speed pre-selection for precise starting and mixing at the right speed for different materials
- Lock-on button for continuous mixing
- Durable aluminum gear housing
- Universal mixing paddle for different materials included



Specifications

- Input: 1200 W
- Tool connection: M14
- Gearhousing: Metal
- Variable speed switch:
- Maximum mixing capacity: 35 kg
- No-load speed: 0 - 800 r.p.m
- Maximum torque: 50 Nm
- Maximum paddle diameter: 120 mm
- Weight: 3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Universal mixing paddle 120 mm
- Wrench (2x)

Order Information

Order No AOC	F015 1016 AA
Order No UK/IRL	F015 1016 AB
Ean Code AOC	8710364061280
Ean Code UK/IRL	8710364062454

Paddle mixer 1609



- Powerful paddle mixer for all kinds of materials like mortars, paints, adhesives etc.
- Ergonomic design with soft-grip for comfortable secure control
- M14 tool connection for easy standard accessory change and no-loss power transmission
- Heavy-duty gears for maximum torque efficiency
- Tool stand makes it easy to put the machine down
- Support grip for comfortable, secure control
- Variable-speed switch for precise starting and mixing at the right speed for different materials
- Lock-on button for continuous mixing
- Durable aluminum gear housing
- High-quality universal mixing paddle for different materials included

Specifications

- Input: 1.000 W
- Tool connection: M14
- Gearhousing: Metal
- Variable speed switch:
- Maximum mixing capacity: 30 kg
- No-load speed: 0 - 700 r.p.m
- Maximum torque: 40 Nm
- Maximum paddle diameter: 120 mm
- Weight: 3,4 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Support grip / Toolstand
- Hexagon key
- Wrench 2 x
- Universal mixing paddle 120 mm

Order Information

Order No AOC	F015 1609 AA
Order No UK/IRL	F015 1609 AB
Ean Code AOC	8710364046515
Ean Code UK/IRL	8710364070237

Paddle mixer 1608



- Powerful paddle mixer for all kinds of materials like mortars, paints, adhesives etc.
- Ergonomic design with soft-grip for comfortable secure control
- M14 tool connection for easy standard accessory change and no-loss power transmission
- Tool stand makes it easy to put the machine down
- Support grip for comfortable, secure control
- Variable-speed switch for precise starting and mixing at the right speed for different materials
- Lock-on button for continuous mixing
- Durable aluminum gear housing
- High-quality universal mixing paddle for different materials included

Specifications

- Input: 850 W
- Tool connection: M14
- Gearhousing: Metal
- Variable speed switch:
- Maximum mixing capacity: 30 kg
- No-load speed: 0 - 550 r.p.m
- Maximum torque: 35 Nm
- Maximum paddle diameter: 120 mm
- Weight: 2,6 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Support grip / Toolstand
- Hexagon key
- Wrench 2 x
- Universal mixing paddle 120 mm

Order Information

Order No AOC	F015 1608 AA
Order No UK/IRL	F015 1608 AB
Ean Code AOC	8710364065998
Ean Code UK/IRL	8710364069255

Paddle mixer 1613



- Powerful 1400W paddle mixer for all kinds of materials like mortars, paints, adhesives etc.
- High-quality gears for maximum torque efficiency
- 2-hand grip with soft grip for comfortable working and optimal control
- Full electronics for soft start, overload protection and constant speed
- Speed pre-selection for precise starting and mixing at the right speed for different materials
- Lock-on button for continuous mixing
- M14 tool connection for easy standard accessory change and optimal power transmission
- Durable aluminum gear housing

Specifications

- Input: 1400 W
- Tool connection: M14
- Gearhousing: Metal
- Variable speed switch:
- Two mechanical speeds:
- Maximum mixing capacity: 65 kg
- No-load speed: 180-460 / 300-700 r.p.m
- Maximum torque: 70 Nm
- Maximum paddle diameter: 140 mm
- Weight: 4,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Universal mixing paddle (120 mm)
- Wrench (2x)

Order Information

Order No AOC	F015 1613 AA
Order No UK/IRL	F015 1613 AB
Ean Code AOC	8710364065141
Ean Code UK/IRL	8710364070244

LED Work light 0310

NEW



- Powerful 10W LED light with low energy consumption and long lifetime
- Light where you need it thanks to the 6 metre power cord
- Durable and robust aluminium housing
- Turnable in different directions with the 3 wing nuts



Specifications

- Input: 10 W
- Colour temperature: 6500 K
- Luminous flux: 600 lm
- Life span bulb: 50000 hrs
- Cord length: 6 m
- Weight: 1,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0310 LED Work light
- Instruction manual

Order Information

Order No AOC	F015 0310 AA
Order No UK/IRL	F015 0310 AB
Ean Code AOC	8710364076956
Ean Code UK/IRL	8710364077212

Blower 8600



- Compact, powerful blower
- Steplessly adjustable speed control for different applications
- Ergonomic handle for a well balanced working position
- Lock-on button for easy continuous operation
- Powerful 600 Watt motor and high air flow capacity for many different cleaning and drying jobs
- Removable rubber nozzle for working in hard-to-reach places and quick change between blower and suction



Specifications

- Input: 600 W
- No-load speed: 0-16000 r.p.m.
- Air volume: 3,3 m³/min
- Weight: 1,7 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Blowing nozzle
- Dust bag

Order Information

Order No AOC	F015 8600 AA
Order No UK/IRL	F015 8600 AB
Ean Code AOC	8710364050802
Ean Code UK/IRL	8710364054787

LED Work light 0320

NEW



- Powerful 20W LED light with low energy consumption and long lifetime
- Light where you need it thanks to the 6 metre power cord
- Turnable in different directions with the 3 wing nuts
- Durable and robust aluminium housing



Specifications

- Input: 20 W
- Colour temperature: 6500 K
- Luminous flux: 1575 lm
- Life span bulb: 50000 hrs
- Cord length: 6 m
- Weight: 1,4 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0320 LED Work light
- Instruction manual

Order Information

Order No AOC	F015 0320 AA
Order No UK/IRL	F015 0320 AB
Ean Code AOC	8710364076963
Ean Code UK/IRL	8710364077236





Garden tools

Space is scarce in cities, and it's becoming scarcer. Increasing land prices are reducing the available living space. Gardens are becoming smaller too – which is why there are more balconies and roof gardens – and our storage facilities are becoming more limited.

It's for this urban environment and for these urban gardeners, that Skil has developed the Skil 'Urban Series' Garden Tools. Next to their strong individual features, the tools all have Skil's exclusive 'Easy Storage' solution, which means they are convenient to store and take up hardly any storage space after use.

Skil – Everything you need

Lawn mower 0711 URBAN SERIES



- The most manoeuvrable mower thanks to the innovative swivel wheels
- Compact urban mower (4,3 kg), ideal for lawns up to 50 m²
- Energy-efficient high-speed motor with 9500 r.p.m.
- Unique 'Easy Storage' design saves valuable storage space
- Smart handle: flexible working height and convenient settings for driving ('D'), parking ('P') and storing ('S')
- The easiest grass box emptying solution on the market
- Handy mowing height adjustment with three settings
- Including 10 cutting blades for many years of mowing pleasure
- The 'Urban Mower' received an iF DESIGN AWARD 2016 due to its outstanding design quality



Specifications

- Input: 500 W
- No-load speed: 9500 r.p.m.
- Mowing system: Two exchangeable cutting blades
- Mowing width: 29 cm
- Mowing height: 25-40-55 mm
- Mowing height settings: 3
- Grass box capacity: 17 ltr
- Weight (including grass box): 4,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0711 lawn mower
- Grass box
- Cutting blades (10x)
- Instruction manual

Order Information

Order No AOC	F015 0711 AA
Order No UK/IRL	F015 0711 RA
Ean Code AOC	8710364074334
Ean Code UK/IRL	8710364074341

Lawn mower 0712 URBAN SERIES



- The most manoeuvrable mower thanks to the innovative swivel wheels
- Compact urban mower (4,3 kg), ideal for lawns up to 50 m²
- Energy-efficient high-speed motor with 9500 r.p.m.
- Unique 'Easy Storage' design saves valuable storage space
- Optimal working freedom thanks to the 10 metre long extension cord for outdoor use supplied
- Smart handle: flexible working height and convenient settings for driving ('D'), parking ('P') and storing ('S')
- The easiest grass box emptying solution on the market
- Handy mowing height adjustment with three settings
- Including 30 cutting blades for many years of mowing pleasure



Specifications

- Input: 500 W
- No-load speed: 9500 r.p.m.
- Mowing system: Two exchangeable blades
- Mowing width: 29 cm
- Mowing height: 25-40-55 mm
- Mowing height settings: 3
- Grass box capacity: 17 ltr
- Weight (including grass box): 4,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0712 lawn mower
- Grass box
- Outdoor extension cord (10 m)
- Cutting blades (30x)
- Instruction manual

Order Information

Order No AOC	F015 0712 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364076758
Ean Code UK/IRL	Not available

Lawn mower 0713

URBAN SERIES



- Powerful 1300W belt-drive motor
- 'Easy Storage' design: park foot for storage against the wall and foldable handle for upright positioning
- Large mowing width of 33 cm
- Softgrip handle for a better grip and additional comfort while mowing
- Easy mowing height adjustment via the two wheel axes (no extra tools required)
- Large 30 ltr grass box for continuous work
- Ergonomic carrying handle and low weight for convenient transport
- Integrated quick-stop brake function
- Rust-protected cutting blade
- Cable restraint to prevent damage to cable or tool



Specifications

- Input: 1300 W
- Mowing system: Rotary blade
- Mowing width: 33 cm
- Mowing height: 20-40-60 mm
- Mowing height settings: 3
- Grass box capacity: 30 ltr
- Weight (including grass box): 9,5 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Grass box

Order Information

Order No AOC	F015 0713 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364068463
Ean Code UK/IRL	Not available

Strimmer 0731

URBAN SERIES



- Skil-exclusive "EASY STORAGE" handle design for convenient and space-saving storage of the tool (Skil storage rail supplied)
- Extra powerful 1000W motor for all grass trimming applications
- Large 35 cm cutting diameter
- Ergonomic design (with motor close to handle) ensures perfect balance
- Telescopic height adjustment to increase personal working comfort
- Second adjustable handle for extra control while working
- Cutting system with 2 high-quality lines for fast and perfect trimming results
- Automatic line feeding for easy operation
- 180° adjustable cutter head for effortless lawn edging
- Retractable plant protector ensures precise trimming
- Cable restraint to prevent damage to cable or tool



Specifications

- Input: 1000 W
- No-load speed: 7000 r.p.m.
- Mowing diameter: 35 cm
- Height adjustment: 110-120 cm
- Mowing system: 2 line system
- Line diameter: 1,6 mm
- Line length: 2 x 4.5 m
- Line feed system: Automatic
- Weight: 3,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- 3 x spool with 9 (2x4.5) metre line
- Skil Storage rail module

Order Information

Order No AOC	F015 0731 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364065660
Ean Code UK/IRL	Not available

Push lawn mower 0721

URBAN SERIES



- Self-sharpening blades (no extra sharpening necessary)
- 5 blade cylinder for precise cutting
- Softgrip handle for a better grip and additional comfort
- Large screws for easy adjustment of mowing height and blade
- Straightforward, robust design for easy assembly and efficient working



Specifications

- Mowing system: 5 blade cylinder
- Mowing width: 30 cm
- Mowing height: 12-44 mm
- Mowing height settings: variable
- Weight: 6,1 kg

Order Information

Order No AOC	F015 0721 AA
Order No UK/IRL	F015 0721 AA
Ean Code AOC	8710364068913
Ean Code UK/IRL	8710364068913

Strimmer 0732

URBAN SERIES



NEW

- Skil-exclusive 'Easy Storage' handle design for convenient hanging of the tool on the Skil storage rail supplied
- Powerful 280W motor for most grass trimming applications
- Extremely lightweight design (only 1.2 kg)
- Cutting system with 2 lines for fast and perfect trimming results
- 'Tap&Go' line feeding for easy on-demand release of extra line while operating
- Large, low-resistance on/off switch for optimal convenience
- Ergonomic handle design for increased comfort
- Second handle for extra control while working
- Cable restraint to prevent damage to cable or tool
- The included 'Easy Storage' module can be extended to a convenient storage rail system to hang your Skil garden products on



Specifications

- Input: 280 W
- No-load speed: 12000 r.p.m.
- Mowing diameter: 23 cm
- Mowing system: 2 line system
- Line diameter: 1,2 mm
- Line length: 2 x 4 m
- Line feed system: Tap & Go
- Weight: 1,2 kg
- Voltage/frequency: 230-240V/50-60Hz

Packaging contains

- Skil 0732 strimmer
- Spool system
- Skil Storage rail module
- Instruction manual

Order Information

Order No AOC	F015 0732 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364077274
Ean Code UK/IRL	Not available

Strimmer 0732

URBAN SERIES

NEW



- Skil-exclusive 'Easy Storage' handle design for convenient hanging of the tool on the Skil storage rail supplied
- Powerful 280W motor for most grass trimming applications
- Extremely lightweight design (only 1.2 kg)
- Cutting system with 2 lines for fast and perfect trimming results
- 'Tap&Go' line feeding for easy on-demand release of extra line while operating
- Large, low-resistance on/off switch for optimal convenience
- Ergonomic handle design for increased comfort
- Second handle for extra control while working
- Cable restraint to prevent damage to cable or tool
- The included 'Easy Storage' module can be extended to a convenient storage rail system to hang your Skil garden products on



- Specifications
- Input: 280 W
 - No-load speed: 12000 r.p.m.
 - Mowing diameter: 23 cm
 - Mowing system: 2 line system
 - Line diameter: 1,2 mm
 - Line length: 2 x 4 m
 - Line feed system: Tap & Go
 - Weight: 1,2 kg
 - Voltage/frequency: 230-240V/50-60Hz


- Packaging contains
- Skil 0732 strimmer
 - Spool system (3x)
 - Skil Storage rail module
 - Instruction manual

Order Information


Order No AOC	F015 0732 AG
Order No UK/IRL	Not available
Ean Code AOC	8710364078394
Ean Code UK/IRL	Not available

Hedge trimmer 0745

URBAN SERIES



- Skil-exclusive "EASY STORAGE" handle design for convenient hanging of the tool on the Skil storage rail supplied
- The included "EASY STORAGE" module can be extended to a convenient storage rail system to hang your Skil garden products on
- Powerful 450W motor for most cutting applications
- Second "COMFORT GRIP" handle for extra control while working
- Diamond-ground, laser-cut, carbon steel blades
- Extra long 60 cm blade for fast and precise cutting
- "GRIP CUT" function prevents branches to slip out of blades
- Blade tip protector prevents damaging the blade tip
- Ergonomic design for optimum balance and excellent handling
- Lightweight for comfortable horizontal and vertical cutting
- Large, low-resistance switches for optimal convenience
- Cable restraint to prevent damage to cable or tool



- Specifications
- Input: 450 W
 - Blade length: 60 cm
 - Tooth spacing: 14 mm
 - No-load stroke rate: 3200 s.p.m.
 - Weight: 2,9 kg
 - Voltage/frequency: 230-240V/50-60Hz

- Packaging contains
- Skil Storage rail module
 - Blade cover

Order Information


Order No AOC	F015 0745 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364055531
Ean Code UK/IRL	Not available

Hedge trimmer 0740

URBAN SERIES



- Skil-exclusive "EASY STORAGE" handle design for convenient hanging of the tool on the Skil storage rail supplied
- The included "EASY STORAGE" module can be extended to a convenient storage rail system to hang your Skil garden products on
- Powerful 450W motor for most cutting applications
- Second "COMFORT GRIP" handle for extra control while working
- Diamond-ground, laser-cut, carbon steel blades
- "GRIP CUT" function prevents branches to slip out of blades
- Blade tip protector prevents damaging the blade tip
- Ergonomic design for optimum balance and excellent handling
- Lightweight for comfortable horizontal and vertical cutting
- Large, low-resistance switches for optimal convenience
- Cable restraint to prevent damage to cable or tool



- Specifications
- Input: 450 W
 - Blade length: 52 cm
 - Tooth spacing: 14 mm
 - No-load stroke rate: 3200 s.p.m.
 - Weight: 2,8 kg
 - Voltage/frequency: 230-240V/50-60Hz

- Packaging contains
- Skil Storage rail module
 - Blade tip protector
 - Blade cover

Order Information

Order No AOC	F015 0740 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364051892
Ean Code UK/IRL	Not available

Grass shears 0750

URBAN SERIES



- Skil-exclusive "EASY STORAGE" handle design for convenient hanging of the tool on the Skil storage rail supplied
- The included "EASY STORAGE" module can be extended to a convenient storage rail system to hang your Skil garden products on
- Powerful gear box system for all cutting/trimming applications
- Second battery included for continuous work
- Easy and grease-free "CLIC" blade change
- Exchangeable battery packs
- Large grass and shrub shear blades
- Compact and robust design provides optimal grip and protects the hand
- Softgrip handle for additional comfort



- Specifications
- Voltage: 4,8 V
 - Battery capacity: 1,3 Ah
 - Battery system: NiMH
 - Shrub blade length: 150 mm
 - Grass blade width: 100 mm
 - Tooth spacing shrub blade: 8 mm
 - Charging time: 3 Hrs
 - Running time battery: 40 min
 - Weight incl. battery: 1 kg
 - Voltage/frequency (charger): 230-240V/50-60Hz

- Packaging contains
- 2 x 4,8V 1,3Ah NiMH battery
 - Charger
 - Adapter
 - Skil Storage rail module
 - Storage hook for second blade
 - 2 blades (1 x shrub/1 x grass)
 - 2 blade covers

Order Information

Order No AOC	F015 0750 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364051915
Ean Code UK/IRL	Not available

Grass shears 0755

URBAN SERIES



- Skil-exclusive "EASY STORAGE" handle design for convenient hanging of the tool on the Skil storage rail supplied
- Lithium-Ion technology: no memory effect, no self-discharge and always ready for use
- Electronic Cell Protection (ECP) protects the battery cell
- Lightweight and compact design provides optimal working comfort
- Easy and grease-free "CLIC" blade change
- Large grass and shrub shear blades
- LED charge indicator
- Softgrip handle for additional comfort



Specifications

- Voltage: 3,6 V
- Battery capacity: 1,5 Ah
- Battery system: Li-Ion
- Shrub blade length: 150 mm
- Grass blade width: 100 mm
- Tooth spacing shrub blade: 8 mm
- Charging time: 6 Hrs
- Running time battery: 50 min
- Weight incl. battery: 0,6 kg
- Voltage/frequency (charger): 230-240V/50-60Hz

Packaging contains

- Charger
- Skil Storage rail module
- Storage hook for second blade
- 2 blades (1 x shrub/1 x grass)
- 2 blade covers

Order Information

Order No AOC	F015 0755 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364055005
Ean Code UK/IRL	Not available

Chainsaw 0780

URBAN SERIES



- Powerful 2000W motor: excellent cutting performance
- Easy change and adjustment of the chain: no other tools required
- Takes hardly any storage space after usage: "EASY STORAGE"
- High-quality chain and chain bar (by Oregon)
- Ergonomic design, with comfort grip for easy horizontal sawing
- Fast stop system and kick-back brake
- Automatic chain lubrication
- Metal spikes for optimal grip



Specifications

- Input: 2000 W
- Blade length: 35 cm
- Chain speed: 13,5 m/s
- Drive link thickness: 1,3 mm
- Oil reservoir: 100 ml
- Weight: 4,5 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil Storage rail module and hook
- Chain
- Chain bar
- Chain cover

Order Information

Order No AOC	F015 0780 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364055999
Ean Code UK/IRL	Not available

Pressure washer 0761

URBAN SERIES



- Skil-exclusive "EASY STORAGE" design for convenient and space-saving storage of tool and accessories
- Provides ample power and pressure for domestic cleaning applications
- Full-aluminium pump for longer lifetime
- Compact and lightweight (easy to carry)
- Increased mobility through large working range of 11 metres (5 m cable, 5 m hose and lance)
- Long lance with variable spray setting
- Robust and ergonomic design



Specifications

- Input: 1400 W
- Max. pressure: 105 bar
- Max. flow rate: 370 l/h
- Max. flow temperature: 50 °C
- Hose length: 5 m
- Cable length: 5 m
- Weight (without accessories): 4,1 kg
- Voltage/frequency: 220-230V/50-60Hz

Packaging contains

- Trigger gun with lance
- Detergent bottle
- "EASY STORAGE" dock
- Garden hose connection

Order Information

Order No AOC	F015 0761 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364072859
Ean Code UK/IRL	Not available


Leaf blower 0792

URBAN SERIES



NEW

- Skil-exclusive 'Easy Storage' design for convenient hanging of the tool on the Skil storage rail supplied
- Easy to manoeuvre thanks to the unique swivel wheel
- Multi-functional 2-in-1 leaf blower and vacuum plus shredding function
- Easy mode change with simple turning knob
- High impact shredding to reduce debris volume 10 to 1
- Powerful motor for both blow and vacuum mode
- Ergonomic handles for perfect control while working
- Shoulder strap for additional comfort
- Large easy-to-empty collection bag



Specifications

- Input: 2800 W
- Blow speed: 270 km/h
- Vacuum volume: 13 m³/min
- Mulching ratio: 10:1
- Collection bag capacity: 45 ltr
- Weight: 3,3 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0792 leaf blower
- Collection bag
- Shoulder strap
- Swivel wheel
- Skil storage rail module
- Instruction manual

Order Information

Order No AOC	F015 0792 AA
Order No UK/IRL	F015 0792 AB
Ean Code AOC	8710364076468
Ean Code UK/IRL	8710364076475

Leaf blower 0796

URBAN SERIES

NEW



- Skil-exclusive 'Easy Storage' design for convenient hanging of the tool on the Skil storage rail supplied
- Easy to manoeuvre thanks to the unique swivel wheel
- Steplessly adjustable speed control for different applications
- Multi-functional 2-in-1 leaf blower and vacuum plus shredding function
- Easy mode change with simple turning knob
- High impact shredding to reduce debris volume 10 to 1
- Powerful motor for both blow and vacuum mode
- Ergonomic handles for perfect control while working
- Shoulder strap for additional comfort
- Large easy-to-empty collection bag



Specifications

- Input: 3000 W
- Blow speed: 150-270 km/h
- Vacuum volume: 13 m³/min
- Mulching ratio: 10:1
- Collection bag capacity: 45 ltr
- Weight: 3,2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Skil 0796 leaf blower
- Collection bag
- Shoulder strap
- Swivel wheel
- Skil storage rail module
- Instruction manual

Order Information

Order No AOC	F015 0796 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364076499
Ean Code UK/IRL	Not available

Electric weed sweeper 0700

URBAN SERIES



- Easy work: no painful knees or back anymore
- Environment-friendly solution: no pesticides
- Skil-exclusive "EASY STORAGE" handle design for convenient hanging of the tool on the Skil storage rail supplied
- Powerful motor for effortless weed removal
- Guide wheel for optimal stability
- High speed: high removal rate
- Brush indicator located on top of the cover
- Spindle-lock for easy brush change
- Telescopic height adjustment for comfortable working



Specifications

- Input: 500 W
- Brush diameter: 100 mm
- No-load brush speed: 3000 rpm
- Height adjustment: 80-110 cm
- Weight: 2 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Nylon brush
- Skil Storage rail module
- Key

Order Information


Order No AOC	F015 0700 AA
Order No UK/IRL	F015 0700 AA
Ean Code AOC	8710364058556
Ean Code UK/IRL	8710364058556

Garden shredder 0770

URBAN SERIES



- Powerful 2400W motor
- Reversible hardened steel blades
- Compact "EASY STORAGE" design
- Overload protection, protects the motor
- Mobile, easy transportation
- Plunger and large collection bag included



Specifications

- Input: 2400 W
- Cutting system: Blade
- Cutting capacity: 38 mm
- Cutting speed: 4600 rpm
- Torque: 18 Nm
- Weight: 10,8 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Plunger
- Plunger clip
- Large collection bag

Order Information


Order No AOC	F015 0770 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364056040
Ean Code UK/IRL	Not available

Pruning saw 0788

URBAN SERIES



- Skil-exclusive "EASY STORAGE" handle design for convenient hanging of the tool on the Skil storage rail supplied
- Effortless pruning of branches up to 80 mm Ø
- Lightweight and compact design provides optimal working comfort
- User-friendly saw blade changing without tools ('CLIC')
- Non-stop power, no battery, no charging time
- Compatible with universal reciprocating saw blades
- Soft grip for better and more comfortable grip
- Cable restraint to prevent damage to cable or tool



Specifications

- Input: 350 W
- Blade length: 15 cm
- Stroke length: 18 mm
- Blade speed: 2350 s.p.m.
- Sawing capacity in wood: 80 mm
- Weight: 1,5 kg
- Voltage/frequency: 220-240V/50-60Hz

Packaging contains

- Saw blade (2x)
- Skil Storage rail module


Order Information

Order No AOC	F015 0788 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364066285
Ean Code UK/IRL	Not available

Submersible pump (clean water) 0805
URBAN SERIES



- Robust pump for draining, pumping out and transferring clean or lightly contaminated water
- Quick transport of large volumes of water, up to 6500 litres per hour
- The float switch automatically switches the pump on or off, depending on the water level
- The switching level can be adjusted through the cable holder of the float switch
- The pump drains down to a minimum depth of 5 mm
- The thermal protection switch prevents overload
- Hoses of various sizes can be connected to the pump through the universal connector supplied
- Ergonomic, large carrying handle for convenient transport
- The ten-metre power cord allows using the pump at great depths



- Specifications**
- Input: 300 W
 - Max. pumping capacity: 6500 l/h
 - Max. pumping height: 6 m
 - Residual depth of water (approx.): 5 mm
 - Max. submersion depth: 7 m
 - Max. dirt particle size: 5 mm
 - Max. liquid temperature: 35 °C
 - Min. water level at start-up: 40 mm
 - Cord length: 10 m
 - Weight: 3,2 kg
 - Voltage/frequency: 230V/50Hz

- Packaging contains**
- Skil 0805 submersible pump
 - Universal hose connector
 - Instruction manual

Order Information

Order No AOC	F015 0805 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364075799
Ean Code UK/IRL	Not available

Submersible pump (dirty water) 0810
URBAN SERIES



- Robust pump for draining, pumping out and transferring clean or dirty water
- Quick transport of large volumes of water, up to 8500 litres per hour
- The float switch automatically switches the pump on or off, depending on the water level
- The switching level can be adjusted through the cable holder of the float switch
- The thermal protection switch prevents overload
- Hoses of various sizes can be connected to the pump through the universal connector supplied
- Ergonomic, large carrying handle for convenient transport
- The ten-metre power cord allows using the pump at great depths



- Specifications**
- Input: 500 W
 - Max. pumping capacity: 8500 l/h
 - Max. pumping height: 5 m
 - Residual depth of water (approx.): 35 mm
 - Max. submersion depth: 7 m
 - Max. dirt particle size: 35 mm
 - Max. liquid temperature: 35 °C
 - Min. water level at start-up: 75 mm
 - Cord length: 10 m
 - Weight: 3,2 kg
 - Voltage/frequency: 230V/50Hz

- Packaging contains**
- Skil 0810 submersible pump
 - Universal hose connector
 - Instruction manual

Order Information

Order No AOC	F015 0810 AA
Order No UK/IRL	Not available
Ean Code AOC	8710364075829
Ean Code UK/IRL	Not available



Laser / measuring tools

DIY'ers often need extra support on certain jobs, such as making furniture, tiling, measuring roof slopes or fitting windows. These types of jobs require angles to be reliably levelled or measured. And anyone wanting to drill needs to know beforehand where cables and pipes are located under the surface.


The Skil range of laser / measuring tools brings a high level of convenience and accuracy to the job, saving precious time. Thanks to the convenient, instant operation and accurate read-out of the tools, users are ensured precise results. Whether the job requires laser levelling, distance measurement, angle measurement or detection of metals and live wires, Skil has the right tools.

Skil – Everything you need

Digital Angle Finder 0580



- Large detailed LCD display for easy read-out of the measured angle
- Robust, lightweight aluminium construction
- Integrated ruler on top of the tool (0-32 cm)
- Easy to operate: self-explaining
- Horizontal and vertical level
- 'Hold' function can lock the last measured value
- 'Automatic shut-off' function if not used for 5 minutes
- Battery low indicator



Specifications

- Measuring range: 0° - 220°
- Accuracy: ± 0,5°
- Lowest indication unit: 0,1°
- Operating temperature: -10° - 50°
- Storage temperature: -20° - 70°
- Estimated battery life: 20 hrs
- Automatic switch off function: 5 min
- Power supply: 1x (6LR61) / 9V
- Weight: 0,5 kg

Packaging contains

- Skil 0580 digital angle finder
- 1x 9V (6LR61) battery
- Handy storage bag
- Instruction manual

Order Information

Order No AOC	F015 0580 AA
Order No UK/IRL	F015 0580 AA
Ean Code AOC	8710364039746
Ean Code UK/IRL	8710364039746

Ultrasonic dimension measure 0520



- Ultrasonic measurement of length, area and volume
- Display of ambient temperature (in °C) at startup
- Measures dimensions in metres or feet
- Unique laser beam target (for reference only)
- Compact device with soft grip for optimal comfort
- 'Plus' function makes it easy to add up to 10 measurements
- 'Correct' function allows correction of measurements
- Automatic shut-off function if not used for 30 seconds
- Battery low indicator



Specifications

- Measuring method: ultrasonic
- Measuring range: 0,5 - 15 m
- Accuracy: ± 0,5% / ± 1 digit
- Ultrasonic emergence angle approximately: ± 5°
- Laser beam target: for reference only
- Laser class: 2
- Laser type: 650 nm
- Maximum power output: ≤ 1 mW
- Operating temperature: 0 - 40 °C
- Weight: 0,2 kg
- Power supply (battery): 1x (6LR61) / 9V

Packaging contains

- Skil 0520 ultrasonic dimension measure
- 1 x 9 V (6LR61) battery
- Handy belt bag
- Instruction manual


Order Information

Order No AOC	F015 0520 AD
Order No UK/IRL	F015 0520 AD
Ean Code AOC	8710364033096
Ean Code UK/IRL	8710364033096

Ultrasonic dimension measure 0520



- Ultrasonic measurement of length, area and volume
- Display of ambient temperature (in °C) at startup
- Measures dimensions in metres or feet
- Unique laser beam target (for reference only)
- Compact device with soft grip for optimal comfort
- 'Plus' function makes it easy to add up to 10 measurements
- 'Correct' function allows correction of measurements
- Automatic shut-off function if not used for 30 seconds
- Battery low indicator



Specifications

- Measuring method: ultrasonic
- Measuring range: 0,5 - 15 m
- Accuracy: ± 0,5% / ± 1 digit
- Ultrasonic emergence angle approximately: ± 5°
- Laser beam target: for reference only
- Laser class: 2
- Laser type: 650 nm
- Maximum power output: ≤ 1 mW
- Operating temperature: 0 - 40 °C
- Weight: 0,2 kg
- Power supply (battery): 1x (6LR61) / 9V

Packaging contains

- Skil 0520 ultrasonic dimension measure
- 1x 9V (6LR61) battery
- Handy belt bag
- Instruction manual


Order Information

Order No AOC	F015 0520 AA
Order No UK/IRL	F015 0520 AA
Ean Code AOC	8710364028597
Ean Code UK/IRL	8710364028597

Laser 0502



- Compact multi surface laser leveling device
- Easy one button operation
- Can be used on almost any surface with the complete set of handy attachments
- The ideal assistant for all those small aligning jobs in the house
- Projects a straight laser line under any angle
- Double bubble level with backlight for easy adjustment



Specifications

- Laser type: 635 nm
- Laser class: 2
- Maximum power output: < 1 mW
- Accuracy at 5 metres: ± 10 mm
- Power supply tool: 3 x AG 13 button cell
- Operating temperature: -10 - 40 °C
- Storage temperature: -20 - 60 °C
- Weight: 0,05 kg

Packaging contains

- Skil 0502 laser
- 3 x AG 13 button cell batteries
- Laser base suction
- Laser base clamp
- Laser base pin
- Laser base magnet
- Laser base pivot
- Laser base screw
- Easy beltclip
- Storage bag
- Instruction manual

Order Information


Order No AOC	F015 0502 AA
Order No UK/IRL	F015 0502 AA
Ean Code AOC	8710364033515
Ean Code UK/IRL	8710364033515

Laser level device LL0511

NEW



- High functionality due to self-levelling mode and slope mode
- Automatic self-levelling for fast and precise working without manual alignment
- Projection of a horizontal and vertical laserline
- 1/4" tripod thread for easy fixation
- High flexibility due to clamp that is part of scope of delivery



Specifications

- Laser type: 650 nm
- Laser class: 2
- Maximum power output: < 1 mW
- Automatic leveling: yes
- Accuracy at 10 metres: 5 mm
- Working range: 10 m
- Power supply: Batteries / AA
- Self leveling compensation angle: +/- 4 °
- Leveling time: 6 sec
- Power supply tool: 2x AA (LR6) / 1,5V
- Operating temperature: -1 °C -40 °C
- Weight: 0,3 kg

Packaging contains

- Skil 0511 laser level device
- 2x AA (LR6) batteries
- Instruction manual

Order Information

Order No AOC	F015 0511 AA
Order No UK/IRL	F015 0511 AA
Ean Code AOC	8710364069385
Ean Code UK/IRL	8710364069385

Laser level device LL0516

NEW



- High functionality due to self-leveling mode and slope mode
- Single tool for all levelling jobs due to 1 horizontal and 2 vertical lines
- 2nd vertical line for easy definition of 90° angles
- Automatic self-levelling for fast and precise working without manual alignment
- 1/4" tripod thread for easy fixation



Specifications

- Laser type: 635 nm
- Laser class: 2
- Maximum power output: < 1 mW
- Automatic leveling: yes
- Accuracy at 10 metres: 5 mm
- Working range: 10 m
- Power supply: Batteries / AA
- Self leveling compensation angle: +/- 4 °
- Leveling time: 6 sec
- Power supply tool: 4x AA (LR6) / 1,5V
- Operating temperature: -1 °C -40 °C
- Weight: 0,5 kg

Packaging contains

- Skil 0516 laser level device
- Tripod
- 4x AA (LR6) batteries
- Instruction manual

Order Information

Order No AOC	F015 0516 AC
Order No UK/IRL	F015 0516 AC
Ean Code AOC	8710364064007
Ean Code UK/IRL	8710364064007

Laser level device LL0516

NEW



- High functionality due to self-levelling mode and slope mode
- Single tool for all levelling jobs due to 1 horizontal and 2 vertical lines
- 2nd vertical line for easy definition of 90° angles
- Automatic self-levelling for fast and precise working without manual alignment
- 1/4" tripod thread for easy fixation



Specifications

- Laser type: 635 nm
- Laser class: 2
- Maximum power output: < 1 mW
- Automatic leveling: yes
- Accuracy at 10 metres: 5 mm
- Working range: 10 m
- Power supply: Batteries / AA
- Self leveling compensation angle: +/- 4 °
- Leveling time: 6 sec
- Power supply tool: 4x AA (LR6) / 1,5V
- Operating temperature: -1 °C -40 °C
- Weight: 0,5 kg

Packaging contains

- Skil 0516 laser level device
- 4x AA (LR6) batteries
- Instruction manual


Order Information

Order No AOC	F015 0516 AA
Order No UK/IRL	F015 0516 AA
Ean Code AOC	8710364063987
Ean Code UK/IRL	8710364063987

Rotating laser 0560



- For all horizontal and vertical leveling work
- Point function and rotation function
- 6 speed settings: always the right speed for the job
- Easy leveling with two setting wheels
- Robust design and construction for increased durability
- Plumb beam function for easy aligning



Specifications

- Laser type: 635 nm
- Laser class: 2
- Maximum power output: ≤ 1 mW
- Accuracy: ± 0,7 mm/m
- Working range: max. 30 m
- Power supply tool: 2x D (LR20) / 1,5V
- Operating temperature: -1 - 40 °C
- Storage temperature: -10 - 40 °C
- Weight: 1,3 kg
- Rotation: 360° horizontal and vertical
- Rotation speed: 6 speed settings

Packaging contains

- Skil 0560 rotating laser
- 2 x D (LR20) batteries
- Durable carrying bag, with shoulderstrap
- Laser enhancing glasses
- 1,2 m large multi functional tripod
- Instruction manual


Order Information

Order No AOC	F015 0560 AC
Order No UK/IRL	F015 0560 AC
Ean Code AOC	8710364034314
Ean Code UK/IRL	8710364034314

Spirit Level 0592



- Multi functional (horizontal, vertical and 45°)
- Lightweight aluminium construction
- V-groove profile for: - increased durability - easy working on curved surfaces (tubes, pipes)
- Duo grip with soft grip for comfortable handling
- End caps rubber coated for shock protection



Specifications

- Length: 60 cm
- Accuracy: 0,5 mm/m
- Operating temperature: -1 - 40 °C
- Storage temperature: -10 - 50 °C
- Weight: 0,5 kg

Packaging contains

- Skil 0592 spirit level

Order Information

Order No AOC	F015 0592 AA
Order No UK/IRL	F015 0592 AA
Ean Code AOC	8710364040421
Ean Code UK/IRL	8710364040421

Detector DT0551

NEW



- Multi-detect: detects ferrous metal, non-ferrous metal and live wires
- Display for locating objects and easy read-out
- Live wire detection mode always active, for maximum working safety
- Automatic calibration, always ready for immediate use
- 3 LEDs (red – orange – green) for drilling recommendation
- Acoustic signal
- Automatic shut-off function if not used for 10 minutes
- Battery low indicator
- Easy-to-use due to 1 button operation



Specifications

- Max. scanning depth, ferrous metals: 50 mm
- Max. scanning depth, non-ferrous metals (copper): 50 mm
- Max. scanning depth, copper conductors (live): 30 mm
- Switch off: automatic after ± 10 min.
- Operating temperature: 0 +40 °C
- Storage temperature: -20 +70 °C
- Weight: 0,2 kg
- Power supply (battery): 1x (6LR61) / 9V

Packaging contains

- Skil 0551 detector
- 1x 9V (6LR61) battery
- Instruction manual

Order Information

Order No AOC	F015 0551 AB
Order No UK/IRL	F015 0551 AA
Ean Code AOC	8710364063970
Ean Code UK/IRL	8710364063963

Accessories





Accessories for cordless drills

Model number	Description	Specifications
2610Z07800	Battery (12V 1,5 Ah NiMH)	For model: 2695 Packed per: 1 Volts: 12 V Ah: 1,5 Ah Cell type: NiMH
2610Z09545	Battery (‘16V Max’ 1,5Ah Li-Ion)	For model: 1007, 2430, 2432 Packed per: 1 Voltage: 14,4 V Voltage: 16 ‘V Max’ Battery capacity: 1,5 Ah Cell Type: Li-Ion
2610Z09546	Battery (‘20V Max’ 1,5Ah Li-Ion)	For model: 1008, 1014, 2830, 2832, 2834 Packed per: 1 Voltage: 18 V Voltage: 20 ‘V Max’ Battery capacity: 1,5 Ah Cell Type: Li-Ion
2610397256	40 pcs bit set for drilling and screwdriving	For model: All Skil drills Packed per: 1



Accessories for hammer drills

Model number	Description	Specifications
2610Z04770	Mixing paddle L60R	For model: All hammer drills Packed per: 1 Type: L60R Intended use: Liquid materials Connection: Round shaft Diameter: 60 mm Capacity: 5 kg Flow: parallel
2610Z04771	Mixing paddle L85H	For model: All hammer drills Packed per: 1 Type: L85H Intended use: Liquid materials Connection: Hex shaft Diameter: 85 mm Capacity: 5-10 kg Flow: downwards
2610Z04772	Mixing paddle L105H	For model: All hammer drills Packed per: 1 Type: L105H Intended use: Liquid materials Connection: Hex shaft Diameter: 105 mm Capacity: 10-25 kg Flow: downwards
2610Z04773	Mixing paddle SL85H	For model: All hammer drills Packed per: 1 Type: SL85H Intended use: Semi-liquid materials Connection: Hex shaft Diameter: 85 mm Capacity: 5-10 kg Flow: upwards




2610Z04775	Mixing paddle D70H	For model: All hammer drills Packed per: 1 Type: D70H Intended use: Dense materials Connection: Hex shaft Diameter: 70 mm Capacity: 7 kg Flow: upwards
2610Z04776	Mixing paddle D90H	For model: All hammer drills Packed per: 1 Type: D90H Intended use: Dense materials Connection: Hex shaft Diameter: 90 mm Capacity: 5-10 kg Flow: upwards
2610Z04777	Mixing paddle D100H	For model: All hammer drills Packed per: 1 Type: D100H Intended use: Dense materials Connection: Hex shaft Diameter: 100 mm Capacity: 10-15 kg Flow: upwards



Accessories for SDS drills

Model number	Description	Specifications
2610395660	SDS+ adapter with 13 mm chuck and key	For model: All SDS drills Packed per: 1



Accessories for multi sanders and detail sanders

Model number	Description	Specifications
2610393759	Velcro paper 102 x 151 mm (15 pcs)	For model: 7207, 7208, 7220, 7226, 7250 Packed per: 15 (3 x 5) Grits / Kit with: coarse grit (60), medium grit (120), fine grit (180)
2610393848	Velcro paper 102 x 151 mm (10x grit 60)	For model: 7207, 7208, 7220, 7226, 7250 Packed per: 10 Grits / Kit with: coarse grit (60)
2610393849	Velcro paper 102 x 151 mm (10x grit 120)	For model: 7207, 7208, 7220, 7226, 7250 Packed per: 10 Grits / Kit with: medium grit (120)
2610393850	Velcro paper 102 x 151 mm (10x grit 180)	For model: 7207, 7208, 7220, 7226, 7250 Packed per: 10 Grits / Kit with: fine grit (180)
2610390727	Velcro paper with tear-off part 185 x 93 mm	For model: 7210, 7240, 7330, 7340, 7360, 7365, 7370, 7375 Packed per: 6 Grits: coarse grit (60)
2610390728	Velcro paper with tear-off part 185 x 93 mm	For model: 7210, 7240, 7330, 7340, 7360, 7365, 7370, 7375 Packed per: 6 Grits: medium grit (120)
2610393324	Flexible Velcro paper 54 x 54 mm	For model: 7207, 7208, 7210, 7226, 7240, 7370, 7375 Packed per: 24 (3 x 8) Grits / Kit with: coarse grit (60), medium grit (120), fine grit (180)




2610393847	Special sanding attachment	For model: 7208, 7207 Packed per: 9 (9 x 1)
2610Z06594	‘FOX’ attachment set	For model: 7220, 7226 Packed per: 1
2610399400	Triangular base (93 mm) for multi sanders	For model: 7120, 7220, 7226, 7250 Packed per: 1 Size diameter: 93 mm
2610Z04835	Backing pad	For model: 7220, 7226 Packed per: 1 Size diameter: 125 mm
2610Z04837	Backing pad	For model: 7220, 7226 Packed per: 1
2610390730	Set of triangular 93 mm sanding sheets (6 pcs)	For model: 1082, 1470, 1475, 1480, 1485, 1490, 7110, 7115, 7125, 7126, 7207, 7208, 7210, 7240, 7370, 7375 Packed per: 6 (2 x 3) Grits / Kit with: coarse grit (60), medium grit (120), fine grit (180)
2610393364	Triangular base (93 mm) for detail sanders	For model: 7110, 7115 Packed per: 1 Size diameter: 93 mm
2610Z08509	Triangular base (93 mm) for detail sanders incl. screw	For model: 7125, 7126 Packed per: 1 Size diameter: 93 mm

Accessories for random orbital sanders

Model number	Description	Specifications
2610383123	Velcro system sanding discs	For model: 1081, 7220, 7226, 7405, 7420, 7430, 7435, 7440, 7445, 7450, 7455, 7460, 7470 Packed per: 5 Grits: coarse grit (60)
2610383124	Velcro system sanding discs	For model: 1081, 7220, 7226, 7405, 7420, 7430, 7435, 7440, 7445, 7450, 7455, 7460, 7470 Packed per: 5 Grits: medium grit (120) Size diameter: 125 mm
2610396225	Backing pad medium 125 mm	For model: 7405, 7440, 7450, 7460, 7470 Packed per: 1 Size diameter: 125 mm
2610Z04962	Backing pad	For model: 7420 Packed per: 1 Size diameter: 125 mm
2610Z05810	Backing pad	For model: 1081, 7445, 7455 Packed per: 1 Size diameter: 125 mm

Accessories for belt sanders

Model number	Description	Specifications
2610373178	Sanding belts (3x grit 80)	For model: 1200, 1205, 1210, 1215, 1220, 7600, 7610, 7620, 7630, 7675 Packed per: 3 Grits: medium grit (80)



Accessories for jigsaws

Model number	Description	Specifications
2610388138	Saw blade set (T-shank)	For model: 1061, 4001, 4003, 4160, 4170, 4180, 4181, 4190, 4230, 4250, 4260, 4270, 4281, 4300, 4330, 4370, 4374, 4375, 4580, 4581, 4585, 4590, 4600 Packed per: 1 Sawset with: 2x wood medium, 2x wood fine, 1x curve, 1x metal medium, 1x metal fine Shank: T



Accessories for circular saws


Model number	Description	Specifications
2610395470	Carbide-tipped blade (Ø 170 mm, 24 teeth)	For model: 1052, 1854, 1855, 5055, 5155, 5255 Packed per: 1 Saw blade diameter: 170 mm Saw blade diameter inch: 6 1/2” Arbor hole diameter: 16 mm Teeth: 24
2610395706	Allrounder blade (Ø 184 mm, 60 teeth)	For model: 1054, 5003, 5064, 5065, 5066, 5164, 5165, 5166, 5265, 5665, 5765, 5865, 5866 Packed per: 1 Saw blade diameter: 184 mm Saw blade diameter inch: 7 1/4” Arbor hole diameter: 16 mm Teeth: 60
2610397945	Parallel guide	For model: 1053, 1054, 5055, 5066, 5155, 5166, 5665, 5765, 5865 Packed per: 1
2610Z04064	Saw guide	Maximum length: 144 cm Guide-rail size: 4 x 36 cm Maximum deviation: 1 mm/m For models: 1051, 1052, 1054, 5003, 5064, 5055, 5065, 5066, 5140, 5155, 5165, 5166, 5255, 5265, 5665, 5740, 5765, 5840, 5866, 5885, 5940
2610387402	Dustbag	For model: 1052, 1053, 1054, 5055, 5140, 5155, 5240, 5266, 5366, 5466, 5566, 5665, 5740, 5750, 5765, 5766, 5840, 5866, 5885 Packed per: 1



Accessories for multi saws

Model number	Description	Specifications
2610Z06137	Hardened steel saw blade set (3 pcs)	For model: 5330 Packed per: 3 Saw blade diameter: 89 mm Arbor hole diameter: 10 mm Teeth: 80
2610Z07905	Carbide-tipped saw blade set (2 pcs)	For model: 1485, 5330 Packed per: 2 Saw blade diameter: 85 mm Arbor hole diameter: 10 mm Teeth: 20
2610Z06138	Diamond disc set (3 pcs)	For model: 5330 Packed per: 3 Saw blade diameter: 85 mm Arbor hole diameter: 10 mm





Accessories for reciprocating saws

Model number	Description	Specifications
2610397022	Set of 5 BIM saw blades for metal	For model: 1064, 1065, 4600, 4900, 4950, 4960 Packed per: 5
2610397023	Set of 5 HCS saw blades for wood	For model: 0788, 1064, 1065, 1066, 4600, 4900, 4910, 4950, 4960 Packed per: 5



Accessories for multifunction tools

Model number	Description	Specifications
2610Z06867	Set of 4 multi-tool accessories	For model: 1470, 1475, 1480, 1485, 1490
2610Z06868	Set of 2 multi-tool accessories	For model: 1470, 1475, 1480, 1485, 1490
2610398564	Set of 4 scraper blades	For model: 7710, 7720 Packed per: 4



Accessories for paint strippers

Model number	Description	Specifications
2610Z04839	Cleaning disc	For model: 8100 Packed per: 1 Disc diameter: 115 mm



Accessories for angle grinders

Model number	Description	Specifications
2610388766	'Click' flange	For model: All angle grinders
2610399438	Closed guard 115 mm	For model: 1047, 9171, 9340, 9371 Packed per: 1 Disc diameter: 115 mm
2610399439	Closed guard 125 mm	For model: 9176, 9222, 9345, 9376, 9445, 9455, 9475 Packed per: 1 Disc diameter: 125 mm
2610Z00992	Closed guard 230 mm	For model: 1048, 1049, 1050, 9782, 9783 Packed per: 1 Disc diameter: 230 mm
2610Z01133	Closed guard 115 mm	For model: 9005, 9006, 9030 Packed per: 1 Disc diameter: 115 mm



2610Z01134	Closed guard 125 mm	For model: 9016, 9035 Packed per: 1 Disc diameter: 125 mm
2610Z04675	Closed guard 125 mm	For model: 1043, 9012, 9390, 9412 Packed per: 1 Disc diameter: 125 mm
2610Z07147	Closed guard 125 mm	For model: 9007, 9008, 9010 Packed per: 1 Disc diameter: 125 mm



Accessories for heat guns

Model number	Description	Specifications
2610Z06110	Heat gun nozzle SE 1 / Surface nozzle 78mm	For model: 8003DA, 8003DC, 8004, 8007 Packed per: 1
2610Z06111	Heat gun nozzle SE 2 / Glass protection nozzle 78mm	For model: 8003DA, 8003DC, 8004, 8007 Packed per: 1
2610Z06112	Heat gun nozzle SE 3 / Reflector nozzle	For model: 8003DA, 8003DC, 8004, 8007 Packed per: 1
2610Z06113	Heat gun nozzle SE 4 / Reduction nozzle 20mm	For model: 8003DA, 8003DC, 8004, 8007 Packed per: 1
2610Z06114	Heat gun nozzle E1 / Reduction nozzle 9mm	For model: 8004, 8007 Packed per: 1
2610Z06115	Heat gun nozzle E2 / Slot nozzle	For model: 8004, 8007 Packed per: 1
2610Z06116	Heat gun nozzle E3 / Welding nozzle	For model: 8004, 8007 Packed per: 1
2610Z06117	E3 A300 / HDPE plastic welding rods - 100gr	For model: 8000, 8003, 8004, 8005, 8007
2610Z06118	E3 A250 / LDPE plastic welding rods - 100gr	For model: 8000, 8003, 8004, 8005, 8007
2610Z06119	SE 3A / Shrink tubing set - 100pcs	For model: 8000, 8003, 8004, 8005, 8007



Accessories for electric planers			
Model number	Description	Specifications	
2610373094	Set of 2 reversible HSS planer blades (82mm)	For model: 1500, 1506, 1507, 1510, 1512, 1525, 1555, 1560, 1558, 1565, 1570 Packed per: 2	
2610373095	Set of 2 reversible carbide planer blades (82mm)	For model: 1500, 1506, 1507, 1510, 1512, 1525, 1555, 1558, 1560, 1565, 1570 Packed per: 2	
2610Z03929	Set of 2 reversible HSS planer blades (60mm)	For model: 1550 Packed per: 1	
2610394020	Dust bag	For model: 1555, 1558, 1560, 1565 Packed per: 1	
2610394021	Parallel guide	For model: 1555, 1560, 1565, 1570 Packed per: 1	
2610394022	Rabbeting depth adjuster	For model: 1555, 1560, 1565, 1570 Packed per: 1	



Accessories for paddle mixers			
Model number	Description	Specifications	
2610Z04774	Mixing paddle SL115M	For model: 1016, 1608, 1609, 1611, 1612, 1613, 1630, 1640 Packed per: 1 Type: SL115M Intended use: Semi-liquid materials Connection: M14 Diameter: 115 mm Capacity: 10-15 kg Flow: upwards	
2610Z04778	Mixing paddle D120M	For model: 1016, 1608, 1609, 1611, 1612, 1613, 1630, 1640 Packed per: 1 Type: D120M Intended use: Dense materials Connection: M14 Diameter: 120 mm Capacity: 10-15 kg Flow: upwards	
2610Z04779	Mixing paddle D140M	For model: 1016, 1608, 1609, 1611, 1612, 1613, 1630, 1640 Packed per: 1 Type: D140M Intended use: Dense materials Connection: M14 Diameter: 140 mm Capacity: 15-30 kg Flow: upwards	



Accessories for measuring tools			
Model number	Description	Specifications	
2610395906	Large, versatile tripod (1,2 m) + adapter in canvas carrying bag	For model: 0500, 0504, 0510, 0515, 0560, 0570 Packed per: 1	



Accessories for lawn mowers			
Model number	Description	Specifications	
2610Z04031	Cutting blades	For model: 0078, 0701, 0711, 0712, 0738, 1167, 1168 Packed per: 20	
2610Z07092	Grass bag	For model: 0720, 0721, 0725 Packed per: 1 Capacity: 25 ltr	



Accessories for trimmers			
Model number	Description	Specifications	
2610Z01354	Spool for trimmer	For model: 0730, 0735 Line length: 5 m Thickness: 1,2 mm Packed per: 1	
2610Z07373	Spool for trimmer	For model: 0732, 1164 Line length: 8 m Thickness: 1,2 mm Packed per: 1	
2610Z03235	Spool for trimmer	For model: 0731, 1165 Line length: 9 m Thickness: 1,6 mm Packed per: 1	



Accessories for cordless garden tools			
Model number	Description	Specifications	
2610Z02983	Battery for shrub/grass shear	For model: 0750 Packed per: 1	



Accessories for chainsaws			
Model number	Description	Specifications	
2610Z02350	Chain for chainsaw	For model: 0780 Packed per: 1	



Accessories for electric weed sweepers			
Model number	Description	Specifications	
2610Z02973	Nylon brushes for electric weed sweeper	For model: 0700 Packed per: 2	

Blank lined paper for writing on page 76.

Blank lined paper for writing on page 77.



Skil helps!

A few well-chosen DIY jobs can turn a house into a home. But some aren't as simple as they look. Skil offers users everything they need to get the job done quickly and conveniently. Help is not only limited to easy-to-use power tools, but also includes online support. Each year, millions of unique visitors look for information on the Skil website. And the number of visitors continues to post double-digit growth year after year. This confirms that Skil offers users a much needed helping hand.

The responsive website meets the needs of today's visitors – mostly smartphone and tablet users – by displaying the tools in a user-friendly way. Older models are part of Skil's online product archive, which contains information visitors continue to search for online. Instruction manuals, information about repairs and spare parts can also be found on the website. DIY'ers can rely on Skil for step-by-step instructions for their projects, help on how to use tools, how-to videos and DIY tips. This information helps DIY'ers before, during and even after the job.

The hashtag #Skilhelps is used to support the online strategy on social media. The Skil-branded channels contain inspiring visual content with special attention for innovations and history. And in collaboration with influencers, Skil reaches an even broader audience with its help content.

#Skilhelps



EVERYTHING YOU NEED



1619C00207

GB

Specifications subject to alteration without notice.

www.skil.com